



**Strictly Confidential- (For Internal and Restricted Use Only) Secondary School Examination**  
**SUMMATIVE ASSESSMENT - II**  
**March 2015**

**Marking Scheme – Science (Foreign) 31/2/1**

1. The Marking Scheme provides general guidelines to reduce subjectivity in the marking. It carries only suggested value points for the answer. These are only guidelines and do not constitute the complete answer. Any other individual response with suitable justification should also be accepted even if there is no reference to the text.
2. Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one's own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed.
3. If a question has parts, please award marks in the right hand side for each part. Marks awarded for different parts of the question should then be totalled up and written in the left hand margin.
4. If a question does not have any parts, marks be awarded in the left hand side margin.
5. If a candidate has attempted an extra question, marks obtained in the question attempted first should be retained and the other answer should be scored out.
6. Wherever only two/three of a 'given' number of examples/factors/points are expected only the first two/three or expected number should be read. The rest are irrelevant and should not be examined.
7. There should be no effort at 'moderation' of the marks by the evaluating teachers. The actual total marks obtained by the candidate may be of no concern of the evaluators.
8. All the Head Examiners / Examiners are instructed that while evaluating the answer scripts, if the answer is found to be totally incorrect, the (X) should be marked on the incorrect answer and awarded '0' marks.
9. ½ mark may be deducted if a candidate either does not write units or writes wrong units in the final answer of a numerical problem.
10. A full scale of mark 0 to 100 has to be used. Please do not hesitate to award full marks if the answer deserves it.
11. As per orders of the Hon'ble Supreme Court the candidates would now be permitted to obtain photocopy of the Answer Book on request on payment of the prescribed fee. All Examiners/Head Examiners are once again reminded that they must ensure that evaluation is carried out strictly as per value points given in the marking scheme.

**MARKING SCHEME**  
**CLASS X – FOREIGN**

Code No. 31/2/1

Expected Answer/ Value point <b>SECTION – A</b>		Marks	Total
Q1.	Hydrogenation	1	1
Q2.	Leishmania, Binary fission	½, ½	1
Q3.	<ul style="list-style-type: none"> <li>• Hawk</li> <li>• Biomagnification</li> </ul>	½ ½	1
Q4.	Stars are very distant and approximate point-sized sources. Path of starlight changes continuously due to gradual changing of refractive index of the layers of air. Thus, the apparent position of the star fluctuates and the amount of starlight entering the eye flickers giving the twinkling effect.	½ 1 ½	2
Q5.	Reduce, Reuse, Recycle (for all the three) (only ½ mark if two are mentioned) Examples <ul style="list-style-type: none"> <li>- Switch off the fans and bulbs when not in use,</li> <li>- Reuse of paper, polythene bags, etc.,</li> <li>- Reduce the wastage of water / paper or any other item (or any other relevant example)</li> </ul>	1	
	(any two)	½ x 2	2
Q6.	Advantages of ground water – <ol style="list-style-type: none"> <li>I. It does not evaporate.</li> <li>II. Spreads out to recharge wells.</li> <li>III. Provides moisture for vegetation over a large area.</li> <li>IV. Does not provide breeding ground for mosquitoes.</li> <li>V. Remain protected from contamination from human excreta, etc..</li> </ol>	(any four)	½ × 4
Q7.	i) Ethane: C <sub>2</sub> H <sub>6</sub> <div style="display: flex; align-items: center; justify-content: center; margin-top: 10px;">  <span style="margin: 0 20px;">/</span>  </div>		½, ½

ii) Ethene: C <sub>2</sub> H <sub>4</sub>		1/2, 1/2		
iii) Ethyne: C <sub>2</sub> H <sub>2</sub>		1/2, 1/2	3	
Q8.	An atom or a group of atoms / heteroatoms which determine the chemical properties of an organic compound.	1		
Name Ethanol	<b>Structural Formula</b> 	<b>Functional Group</b> -OH	1/2, 1/2	
Ethanoic acid		-COOH /	1/2, 1/2	3
Q9.	<ul style="list-style-type: none"> <li>For systematic and simplified study of elements and their compounds.</li> <li>Basic property: Atomic Number.</li> <li>Modern periodic Law: The properties of elements are a periodic function of their atomic number.</li> <li>Metals are found on the left side and centre of the Modern Periodic Table.</li> <li>Metalloids are found in a zig-zag manner between the metals and the non-metals.</li> <li>Non-metals are found on the right side of the Modern Periodic Table.</li> </ul>	1/2	3	
Q10.	Electronic configuration : 2, 8, 8, 2 i) 'X' is present in the 2 <sup>nd</sup> group and 4 <sup>th</sup> period of the periodic table. ii) XY iii) Basic because X is a metal and the oxides of metals are basic in nature. (Y, Atomic number= 8, oxygen)	1/2, 1/2, 1/2, 1/2, 1/2, 1/2	3	
Q11.	<ul style="list-style-type: none"> <li>Asexual reproduction does not involve genetic fusion while sexual reproduction involves fusion of male and female gametes to form a zygote.</li> <li>Species reproducing sexually have better chances of survival.</li> </ul> <p>Reason – Sexual reproduction gives rise to more variations which are essential for evolution as well as survival of species under unfavorable conditions.</p>	1, 1, 1	3	
Q12.	<p>When Planaria is cut into many pieces, each piece grows into a complete organism; this regeneration process is carried out by specialized cell; which proliferate; develop and differentiate into various cell types and tissues.</p> <p>Regeneration is not same as reproduction as most of the organisms would not normally depend on being cut up to be able to reproduce.</p>	1/2 x 4, 1	3	


**Note:** If a candidate draws only the diagram showing the process then award 1 mark only, otherwise diagram is not required.

Q13. • Placenta is a specialized tissue embedded in the uterine wall. It contains villi on the embryo's side and blood spaces on the mother's side.  
Function- helps in exchange of nutrients, gases and waste materials between the mother and embryo / foetus.

1×2  
1 3

Q14. • Flow chart

Parents



½  
½  
½  
½

• Justification: Women produce only one type of ovum / (carrying X chromosome) and males produce two types of sperms (carrying either X or Y chromosome) in equal proportions. So the sex of a child is a matter of chance depending upon the type of sperm fertilizing the ovum.

1 3

Q15. • Yes, it is possible.

Example – When pure tall pea plants are crossed with pure dwarf pea plants, only tall pea plants are obtained in F1 generation.


On selfing tall plants of F1, both tall and dwarf plants are obtained in F2 generation in the ratio 3:1.

Reappearance of the dwarf character, a recessive trait in F2 generation shows that the dwarf trait/ character was present in individuals of F1 but it did not express (due to the present of tallness, a dominant trait / character)




1  
½  
½


1 3


Q16. a)



1

b)		1
c)		1
Q17.	<ul style="list-style-type: none"> <li>• Due to atmospheric refraction, the sun is visible to us about two minutes before the actual sun-rise and about two minutes after the actual sun-set</li> <li>•</li> </ul> 	1
Q18.	<p>Ozone is a molecule containing three atoms of oxygen (O<sub>3</sub>) / a highly poisonous gas present in the upper layers of the atmosphere.</p> <p>Formation of ozone – the UV radiations split some molecular oxygen (O<sub>2</sub>) apart into free oxygen atoms (O + O). These atoms then combine with molecular oxygen to form ozone.</p> <p style="text-align: center;">Or</p> $\text{O}_2 \xrightarrow{\text{UV}} \text{O} + \text{O}$ $\text{O} + \text{O}_2 \rightarrow \text{O}_3 \text{ (Ozone)}$	2
	<p>Effect – ozone layer shields the surface of the earth from the damaging UV radiations of the sun.</p>	1
Q19.	<p>Carbon has 4 electrons in its outermost shell .It cannot lose 4 electrons to form C<sup>4+</sup> because very high energy is required to remove 4 electrons. It cannot gain 4 electrons to form C<sup>4-</sup> ions because it is difficult for 6 protons to hold on to 10 electrons.</p> <ul style="list-style-type: none"> <li>• Ionic / Electrovalent Bonds ,</li> <li>• Covalent bonds.</li> <li>• There are no charged particles in carbon compounds and hence poor conductors of electricity.</li> </ul>	1 ½
		1 ½
		½
		½
		1
		5

Q20.	<p>a) A – Stigma B – Pollen tube C – Ovary D – Female germ cell / Egg cell</p> <p>b) Pollination – Transfer of pollen grains from anther to the stigma of a flower.</p> <p>Significance of pollination – Process of pollination leads to fertilization as it brings the male and female gametes together for fusion.</p> <p>c) After a pollen falls on a suitable stigma, the pollen tube grows out of the pollen grain and travels through the style to reach the ovule in the ovary. Here the male germ cell (carried by the pollen tube) fuses with the female germ cell to form a zygote.</p> <p>i) Ovule ii) Ovary</p>	<p><math>\frac{1}{2} \times 4</math></p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p>1</p> <p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p>	5
Q21.	<p>Speciation - formation of new species from pre-existing ones.</p> <p>Factors –</p> <ol style="list-style-type: none"> <li>1) Mutations</li> <li>2) Natural selection</li> <li>3) Genetic drift</li> <li>4) Geographical Isolation</li> </ol> <p>Geographical isolation cannot be a major factor in the speciation of a self pollinating plant species.</p> <p>Reason – physical barrier cannot be created in self pollinating plants.</p>	<p>1</p> <p><math>\frac{1}{2} \times 4</math></p> <p>1</p> <p>1</p>	5
Q22.	<p>• <math>h = +1.5 \text{ cm}; f = -12 \text{ cm}; u = -18 \text{ cm} \quad v = ? \quad h' = ?</math></p> <p>a) <math>\frac{1}{f} = \frac{1}{v} + \frac{1}{u}</math></p> $\therefore \frac{1}{v} = \frac{1}{f} - \frac{1}{u} = \frac{1}{(-12)} - \frac{1}{(-18)}$ $= \frac{-1}{12} + \frac{1}{18} = \frac{-3+2}{36} = \frac{-1}{36}$ <p><math>\therefore v = -36 \text{ cm}</math></p> <p>b) <math>h' = -\frac{v}{u} \times h</math></p> $= -\frac{-36 \text{ cm}}{-18 \text{ cm}} \times 1.5 \text{ cm} = -3 \text{ cm} \quad (\text{Magnified Inverted image})$ <p>• If <math>u = -10 \text{ cm}</math></p> <p>No distinct image would be formed on the screen. In this case the image formed will be virtual (object will be within focal length)</p> <p>•</p> 	<p><math>\frac{1}{2}</math></p> <p><math>\frac{1}{2}</math></p> <p>1</p> <p>1</p> <p>1</p> <p>1</p>	5


Q23.	• Power of lens – Ability of a lens to converge or diverge light rays/ Degree of convergence or divergence of light ray achieved by a lens/ Reciprocal of focal length of the lens)	1	
	• S. I. unit is dioptre	½	
	• Convex lens has positive power	½	
	• $v = +40$ cm ; $h' = h$ The lens is convex/ converging Image is real, inverted and same sized $\therefore$ object is at $2F$ $2f = 40$ cm $\therefore f = 20$ cm $P = \frac{1}{f} = \frac{100}{20 \text{ cm}} = 5$ dioptre	1	
	• 	½	
	1	5	

Q24.	• i) Cornea – Refraction of the light rays falling on the eye.		
	ii) Iris – To control the size of the pupil.		
	iii) Pupil – To regulate and control the amount of light entering the eye.		
	iv) Retina – To act as a screen to obtain the image of object and generate electrical signals which are sent to the brain via optic nerves.	½ × 4	
	• Ways of motivating people for the noble cause of eye donation street play, Banners, Poster, door to door campaign etc..		
	• Objectives – To develop the habit of group work To work for a common cause To understand social issues and problems.	3	5

**SECTION – B**


25) C	26) D	27) C	
28) A	29) D	30) B	
31) D	32) B	33) A	1x9      9

Q34.	• Acetic acid is a colorless liquid. It is miscible / soluble in water. (or any other physical property)	½	
	• On adding a pinch of sodium hydrogen carbonate, Brisk effervescence is observed. Evolution of a colorless / odourless gas.	½	2

Q35.		2	2
------	---	---	---

Q36. Inverted, magnified

1



1

2