

VOCATIONAL EDUCATION CELL
Central Board of Secondary Education
“SHIKSHA KENDRA”, 2, COMMUNITY CENTRE,
PREET VIHAR, DELHI – 110092

N.O.W: SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI

CONTENTS

Sl.No.	Description	Page No.
1.	CONTENTS	1
2.	TENDER COVER LETTER	2
3.	NOTICE INVITING TENDER	3-5
4.	BID FORM	6
5.	ARTICLE OF AGREEMENT	7 - 9
6.	TECHNICAL BID	10-11
7.	‘ANNEXURE X’ PRICE BID FORMAT	
	DETAILING TECHNICAL SPECIFICATIONS	12-26
8.	‘ANNEXURE Z’ FORMAT FOR BG	27

VOCATIONAL EDUCATION CELL
Central Board of Secondary Education
“SHIKSHA KENDRA”, 2, COMMUNITY CENTRE,
PREET VIHAR, DELHI – 110092

TENDER COVER LETTER

FOR

**SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR
HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI**

Last date/place for
Submission of tender:

Tender (Part A and Part B) in separate
sealed envelopes to be submitted on or
before 20.08.2012 upto 2.00 p.m. at the
following address:

Cost of the tender:

Rs 2000 (Non Refundable)

Central Board of Secondary Education
“SHIKSHA KENDRA”, 2, COMMUNITY CENTRE,
PREET VIHAR, DELHI – 110092

Central Board of Secondary Education

NOTICE INVITING TENDER

- 1.1** Sealed item rate tenders are hereby invited by Central Board of Secondary Education (CBSE) for **SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI**. The site of work shall be Delhi Govt. Schools in different part of the city.
- 1.2** The bid shall be in prescribed form in two bids (Technical and Priced) i.e. Part A and Part B and the same should be submitted in separate sealed envelopes. Format for price bid is given in Annexure X. The two envelopes in turn should be put in one sealed envelope & marked **“SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI”**.
- 1.3** Technical specifications of the above system to be installed with quantities of the items are given in Annexure Y.
- 1.4** The bidder should study the tender documents carefully and understand the conditions and specifications etc. before quoting. If there are any doubts, he should obtain clarification, but this shall not be a justification for late submission or extension of opening date/time of the tenders.
- 1.5** Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and local conditions and other factors bearing on the execution of the works.
- 1.6** The bidder may quote for all items whole or in part as per the tender schedule. The rates should be expressed both in figures and in words, where discrepancy exists between the two, the rates expressed in words will prevail. Similarly if there is any discrepancy between the unit rate and the amount, the unit rate will prevail. The price bid should be unconditional and have no other information other than prices.
- 1.7** The rate should be quoted in the same units as mentioned in schedule of quantities. CBSE reserves the right to change the quantities at any time during the execution of work and payment shall be made based on the unit rates for the installed/supplied quantities.
- 1.8** All entries in the Bid Documents should be in ink or typed. Corrections if any, made while filing the tender, must be attested by dated initials of the bidder. Over writing of figures shall not be permitted.
- 1.9** The rates should be inclusive of all material labour, duties, taxes of any nature etc. complete.
- 1.10** The rates quoted shall be valid for a period of three months, once the quotation is accepted. The rates shall be firm till the entire work is completed in all respects.

- 1.11** Bidder shall deposit as “Earnest Money” (EMD) an amount of Rs.1.5 lakh (Rs. one lakh fifty thousand only) along with bid in the form of demand draft drawn on Scheduled Bank and payable at Delhi in f/o Secretary CBSE in the Technical Bid envelope.
- 1.12** CBSE will return the EMD, to every unsuccessful bidder on production by the bidder of a certificate to the Engineer in Charge.
- 1.13** The earnest money deposit of the successful bidder (Contractor) will be retained till the commencement of work and then adjusted against Security Deposit.
- 1.14** If the Bid is submitted on behalf of a company incorporate under the Companies Act (1 to 1956), it shall be signed by the Managing Director or by one of the Directors duly authorized on that behalf. If it is submitted on behalf of a partnership firm, it shall be signed with the Co-partnership by a member of the firm who shall sign his own name and give the name and address of each partner of the firm and attach a copy of power of attorney with the tender authorizing him to sign on behalf of the other partners. A certified copy of the registered partnership deed shall also be submitted along with the Tender; otherwise the Tender is liable to be rejected.
- 1.15** The bidder should be registered with the concerned Tax Departments/Authorities. All Sales tax, service tax, W.C.T. or any other taxes, excise duty or any other duty and octroi in r/o this contract, prevailing at the time of the bid or come in force during execution of the work shall be payable by the contractor. No claim in this respect shall be entertained.
- 1.16** Canvassing in connection with tenders submitted by the bidder who resort to canvassing shall be liable to rejection.
- 1.17** Bidder shall submit the bid which satisfies each and every condition laid down in this notice failing which, the tender will be liable to be rejected. Any conditional tender is liable to be rejected.
- 1.18** Central Board of Secondary Education shall convey the acceptance of bid to the successful bidder by issuance of a Fax/Letter of Acceptance (LOA). CBSE does not bind itself to accept the lowest bid or any tender or to give any reasons for its decisions.
- 1.19** CBSE reserves to itself the right of accepting the part/full and the bidder shall be bound to perform the same at his quoted rates.
- 1.20** After acceptance of the bid, the bidder shall sign an agreement (contract) within fifteen (15) days of the above LOA. In any case of delay, the “Earnest Money” may be forfeited and the bid cancelled or the contract enforced as per the terms of the bid and the bidder

shall thus be bound even though the formal agreement has not been executed and signed within the stipulated time by the bidder.

- 1.21** The contractor shall make his own arrangements to procure materials required for the work, make payments to the suppliers, get the materials on site, store & use them as necessary.
- 1.22** This being a composite tender, the successful contractor can give a floor-shop drawing necessitated for systematic installation.
- 1.23** Every page of the tender document shall be signed by the authorized signatory and stamped by the bidder.
- 1.24** Security Deposit
- The successful bidder within 15 days of the date of LOA shall have to provide to CBSE by way of security, a money deposit or a Bank Guarantee in the standard format provided by CBSE, for an amount equivalent to 10% of the total contract value of the work. The bidder shall have the option to adjust the earnest money deposit towards security if he so desires.
- The security deposit will be retained till the successful completion of work. In the case of security deposit in the form of a Bank Guarantee, the same shall be kept valid by the contractor at his cost till the completion of the work under contract and shall be extended from time to time. No interest will be payable on security deposit.
- 1.25** The bidder shall not quote any condition, assumptions whatsoever in the period bid. All conditions, assumptions etc. found in priced bid shall be considered null & void.
- 1.26** Bidder, if he so desires may seek clarifications in writing from CBSE regarding any provisions of the bid document before submitting the Bid. The clarifications provided by CBSE shall not be part of contract. If CBSE desires to modify the draft contract document, the same will be done issue of an addendum.
- 1.27** The Secretary CBSE reserves the right to accept the rate of one or more bidders considering the compatibility and adaptability/typical nature of the products.

**Programme Officer & Director I/C
(Vocational Education),CBSE**

BID FORM

**The Programme Officer & Director I/C(Vocational)
CBSE**

**Sub: SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR
HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI.**

Dear Sirs,

With reference to the tender invited by you for the above-proposed work, I/We write this after having.

- (a) Examined the details, specifications, quantities, instructions to the bidders, draft agreement and the condition of contract annexed there to (herein after called the Contract Documents) relating to above proposed work.

I/We undersigned hereby offer to carry out the proposed work in strict accordance with the contract documents for the consideration to be calculated in terms of the priced Bill of the quantities.

I/We undertake to complete the whole/part as per the attached appendix from the date of issue of intimation by you that our Bid has been accepted and upon receiving permission to start the work. I/We further undertake that on failure subject to the conditions of the Contract relating to extension of time, I/We shall pay agreed liquidated damages to the Owner, the sum named in the Schedule of Fiscal Aspects as "Liquidated damages" for the period during which the work shall remain incomplete.

I/We hereby deposit with you as EMD a sum of Rs. 1.50 lakh (Rs. one lakh fifty thousand only) in form of a DD on no interest and I/We do hereby agree that this sum shall be forfeited in the event of the owner accepting my/our Bid and I/We fail to take up the Contract when called upon to do so.

I/We hereby agree that unless and until a formal agreement is prepared and executed in accordance with the Articles of Agreement, the tender together with your letter of acceptance thereof shall constitute a binding contract between us.

It is also clearly understood that the Owner reserves the right to reject any bid including the lowest without assigning any reason whatsoever for such rejection.

Yours faithfully

(Signature & Seal of the Bidder)

Place:

Date:

ARTICLE OF AGREEMENT

WHEREAS IT IS AGREED:

1. The Contractor shall carry out fabricate, supply, install, test, train Owner's employees and complete and the **SUPPLY & INSTALLATION OF APPARATUS, EQPTS & OTHER ITEMS FOR HOSPITALITY & TOURISM VOCATIONAL STREAM OF SCHOOLS OF DELHI.**

for the Owner on terms & conditions contained herein and according to the Notice inviting tender, tender form which shall form part and parcel of this contract and as per the instruction to be given by and under the supervision of and to the entire satisfaction of the Owner and has by way of earnest money deposit/security money deposit for the due fulfillment of the obligations hereunder, lodged with the Owner a deposit of Rs. 1.50 lakh (Rs. one lakh fifty thousand only) by a DD/bank guarantee as required in Clause 1.12 of the Notice Inviting Tender to the Owner's satisfaction.

2. **Time Schedule:** The time period for completion is 90 days from the date of LOA. The period of completion includes the time required for testing, rectification if any and completion in all respects to the satisfaction of Engineer in charge (the authorized representative of CBSE)

3. The Contractor shall prepare his own details and plans, templates, pattern and other data wherever required. The contractor shall submit to the Engineer incharge/DOE the contract periodic progress report.

All materials supplied by the Contractor shall be of the best quality, conforming to the required specifications and will be subject to the approval of the Engineer in Charge. All such materials as not approved, shall be removed at once by the Contractor at his own expense. The contractor shall also at his own expense arrange for and/or carry out any test of the materials, which the Engineer in Charge may from time to time require. The agency supplying the eqpts. would be required to get the consignment inspected prior to dispatched.

4. **Liquidated Damage on Account of Delay/Incomplete Work:** Time being of essence, the Contractor shall commence the work immediately on award of work. The work shall progress in accordance with the schedule as mentioned above in clause 3, failing which the Contractor shall pay or allow owner ½ % of the contract value as damages for extra time taken until the work is complete and handed over. Such damages may be deducted by the Owner from any money due to the Contractor.

5. **Termination of Contract:** In the event of the Contractor failing to keep to the agreed schedule of work as per clause 3, nor in the event of the Contractor failing to complete the work within stipulated period, the Owner may notwithstanding the provisions in Clause 5 above, terminate this agreement as per provisions of Clause 20.

6. **Defective Work/Materials:** If any equipment/apparatus/material of the work supplied by the Contractor shall be found defective in workmanship if bad or inferior materials

have been used, the Contractor shall at his own risk and cost replace the bad or inferior materials supplied to the satisfaction of the Engineer in Charge. The decision of the Engineer in Charge in this regard shall be final and binding on the Contractor. In case of default by the Contractor to remove the defective materials same as directed by the Engineer in Charge, the owner shall be entitled to employ anyone else to carry out the same and recover all expenses incurred in this regard from the Contractor.

- 7. Supervision:** The Contractor shall provide one or more competent, qualified Engineer duly and fully authorized to act on his behalf in all matters relating to the works to be carried out under or any other matter concerning this agreement. Such Engineers shall be persons of known experience and be approved by the Owner before they are permitted in any way to take charge of, or superintend any operation of the works. Any directions, explanation, instructions or notices in connection with the work given by the Engineer in Charge to the supervisor or any one of them shall be deemed to have been given to the Contractor.
- 8. Payment for work done/defect liability period:** Payments of the final bill will be made after retaining 5% of the contract value as retention money for a period of twelve months (defect liability period) to safeguard against defects arising out of faulty workmanship/materials provided by the Contractor and against any other claims against the contractor from any other reason whatsoever.
 - a. 30% of the contract value shall be paid as advance but strictly against Bank Guarantee. The proforma of the Bank Guarantee shall be as per the format at annexure Z. No interest shall be charged by CBSE, on advance paid to the contractor.
 - b. At the end of one year from the date of acceptance of the work by CBSE, the retention amount of 5 % of the value of work done will be released.
- 9. Subletting of contract:** No part of contract nor any share or interest therein shall, in manner, be assigned or sublet by the contractor directly or indirectly to any person, firm whatsoever without the consent in writing of the Owner.
- 10. Workman's compensation & ESI:** Its liability shall rest with the contractor & the Board shall not have any direct or indirect liability in this regard. However, the contractor shall take all precautionary measures at site to ensure safety of its workman.
- 11. Clerical error to be rectified:** In case of any clerical error or mistake in the specifications, schedule of rates, drawings or instructions in the bid or any other paper supplied in connection with the work, either party shall bring to the notice of the other without any loss of time and same shall be rectified.
- 12.** The parties to this agreement shall not be responsible for any failure of performance or delay in performance of their obligations hereunder, if such failure or delay shall be a result of any Govt. directive relevant to this agreement or due to war, hostility, act of public enemy riots or civil commotion, lawful strikes and lock-out, fire, floods, epidemic or acts of God, arrests and restraints of rules and people.

13. Termination of the contract by the Owner: If the contractor

- (a) at any time makes a default in proceeding with the work with due diligence and continues to do so after a notice in writing in 7 days from the Engineer-in-Charge nor commits default in complying with any of the terms & condition of the contract and does not remedy it or take corrective steps to remedy it within a 7 days after a notice in writing or fails to complete the work or items of works and delays inordinately without any valid reason.
- (b) shall obtain a contract with the Owner as a result of ring tendering or other bonafied tender of competitive tender.
- (c) attempts to submit false/incorrect information and gets the contract, the agreement shall be considered as null and void in accordance with the provision of the Indian Contract Act., 1872 and the Performance Security of the Contractor/Firm shall be forfeited and the payment would be withheld till final decision in this regard.

14. The Accepting Authority shall on such cancellation have powers to:

- a. Take possession of the site and any material, machinery, implements, stores, etc. thereon
- b. Carry out the incomplete work by any means :AT THE RISK AND COST OF THE CONTRACTOR

15. Settlement of disputes: All disputes or differences/controversies of claim whatsoever at any time arise between the parties here to concerning this contract whether during or after completion of the contract or whether before or after termination, four closure for breach of the contract shall first attempted to be resolved amicably by referring the same to the respective officers of the parties who shall use their best efforts to resolve such disputes, controversies or claim in the spirit of cooperation and mutual benefit. In case of failure, the matter shall be referred to Arbitration in accordance with the Arbitration and Conciliation Act 1996 and any amendments thereto. Three panel Arbitrator would be constituted out of which one shall be from the contractor, the other appointed by the Owner. A neutral Arbitrator shall be selected by the above two Arbitrators. The decision of the Arbitrator shall be final and binding on both the parties

16. Jurisdiction: This agreement shall be deemed to have been made in Delhi and shall be construed according to the Laws of India for the performance by the contractor and for the purposes of jurisdiction, it shall be subjected to the Courts of Delhi.

In witness whereof the said contracting parties have set their hands and seals on the day and year first hereinabove appears.

On behalf of CONTRACTOR

On behalf of CBSE

TECHNICAL BID

Tender form No.....

Last date of submission: 20.08.2012

Upto 2:00 p.m.

NAME OF WORK: Supply & Installation of Apparatus, Eqpts. & other items for Hospitality & Tourism Vocational Stream of Schools of Delhi.

Note : : Tenderer must read the Instructions

Instructions to the Tenderers : before filling the particulars in this part.

1. Credentials of the Tenderers

1.1 Name of the Agency with
Regn. No.

1.2 Office Address and
Tel. No.

1.3 Name(s) of the Proprietor/
Partners

1.4 WCT No.

1.5 PAN No.

(with documentary evidence)

1.6 Annual turnover during last three year
supported with documentary evidence.....

2. Past Experience (preferable last three years).....

With all necessary documentary evidence.....

Such as copy of work order/agreement

SL. Nos.	Year	Name of the Organization	Cost of the work (executed)	Officers Concd. In the Organization with T.No.	Period From
01.					
02.					
03.					

2.2 Has the firm been ever debarred/Black Listed by any organization ?
 If 'Yes' the details thereof.

2.3 The organizational Set-up details

2.4 Similar work at hand in and around Delhi.....

2.5 Particulars of Demand Draft paid as Earnest Money :
 Name of the Bank :
 Rs. 2000/- DD/BD No.
 Rs. 1.5 lakh DD/BD No.

NOTE: The informations given above are true & nothing has been concealed.

(Signature of the Tenderer)
With complete address and seal
 Tel./Mobile No.

E-Mail Id:

Place :

Date :

Note: Please attach the attested copies of :

1. License/Regn No.
2. P.F.A/c No.
3. PAN No.
4. Service Tax/VAT No.
5. Experience certificate & copies of agreement executed

**SECHDULE OF WORK
PRICE-BID**

ITEMS UNDER CATEGORY "A"					
Commodity & Specification				Unit Price INDIAN RUPPEES	Amount
SL.NO.	NAME OF EQUIPMENTS	QTY	UNITS		
1	<p><u>STOCK POT 20 LTRS. WITH STAINLESS STEEL HANDLE AND LID</u> specifications; Made of Salem Steel Sheet grade 304 with Thickness 2.5mm, rounded edges and two SS U--Shaped Handles of Size 125mm. The lid of suitable size made of 1.5mm SS Sheet Salem Steel Sheet grade 304, Central Knob for lifting the lid, reputed brands namely: Vinod,Neelkanth Ankur, Meso Metalwares Philco</p>	10			
2	<p><u>BAKING TRAY LARGE 22"X14" MS</u> Specifications: Made of M.S CRGO Sheet of SAIL/TATA thickness 2.0 mm moulded to shape with depth 50 mm</p>	24			
3	<p><u>BAKING TRAY SMALL 11 "X06" MS</u> Specifications: Made of M.S CRGO Sheet of SAIL/TATA thickness 2.0 mm moulded to shape with depth 25 mm</p>	24			
4	<p><u>ELECTRICAL EGG BEATER</u> Specifications: Cap. 10 Ltr. With 3 tools,beater, ball,hook C E Approved, Spiral Cap. 0.75KG Ball Cap. 1.5 Kg Beater Cap. 1.5 Kg , Elect. Moter 1/3HP</p>	2			
5	<p><u>MIXER GRINDER</u> Specifications: ABS Body with 3 Speed Moter Cap., 600Watts Push Button Switch for swivel running and Rotary Switch for different Speeds, SS JARS of Cap. 500ML and 1000ML with Sets of Blades, reputed brands namely: Maharaja, Inalsa, White Line, Sumeet</p>	2			

6	<p><u>DECORATION TABLE 6 FEET X 4 FEET MADE OF 19 MM BOARD TOP STEEL FRAME</u></p> <p>Specifications: made of 19mm Commercial Board of "Duro" Brand with 2 mm laminated Sheet on Top and 6 mm thick teak margin fixed over M.S frame made of 32x32 mm steel rectangular pipe of thickness 3 mm</p>	1			
7	<p><u>STAINLESS STEEL DEGCHI WITH LID (sandwich bottom) 12" DIA</u></p> <p>Specifications: made of Salem SS grade 304, wall thickness 2.5 mm, reputed brands namely: Vinod, Neelkandth Ankur, Meso Metalwares Philco</p>	1			
8	<p><u>STAINLESS STEEL DEGCHI WITH LID (sandwich bottom) 10" DIA</u></p> <p>Specifications: made of Salem SS grade 304, thickness 2.5 mm, reputed brands namely: Vinod, Neelkandth Ankur, Meso Metalwares Philco</p>	10			
9	<p><u>STAINLESS STEEL DEGCHI WITH Lid (sandwich bottom) 8" DIA</u></p> <p>Specifications: made of Salem SS grade 304, thickness 2.5 mm, reputed brands namely: Vinod, Neelkandth Ankur, Meso Metalwares Philco</p>	10			
10	<p><u>STAINLESS STEEL KADAHI (sandwich bottom)</u></p> <p>Specification: Deep Kadahi with Circular Shape Dia. 12" , sheet thickness 2.5 mm, 100mm round shaped handles, sandwich bottom with lid having lifting non metallic ebonite Knob, reputed brands namely: Vinod, Neelkandth Ankur, Meso Metalwares Philco</p>	10			
11	<p><u>STAINLESS STEEL TRAY/THALI- 16" DIA</u></p> <p>Specification: made of Salem SS grade 304 with size 16" having moulded collar of height 25mm, reputed brands namely: Vinod, Neelkandth Ankur, Meso Metalwares Philco</p>	10			

12	<p><u>NONSTICK FRYING PAN 10"</u> Specification: 10" Frying Pan holds 3.7-Quart, cast aluminum body. Ferno ceramic coating, non-stick and safe (PFOA and PTFE free) Suitable for all heat sources, including induction, MSP with lid of food grain silicon, transparent with circumferencial metallic support ring with sturdy nob, reputed brands namely: kitchen chef, jindal,berghoff virgo, prestige</p>	2			
13	<p><u>TAVA WITH HANDLE</u> Specification: 10" hard anodised concave tava with handle, surface, 4.88 mm thicness & steel handle, 26 mm dia cooking surface</p>	10			
14	<p><u>COLANDER STAINLESS STEEL 08" BASE</u> Specification: BASE Heavy duty Salem stainless steel Grade 304 construction 08" dia base, rolled handles for easy handling 8-1/4 diameter, approx. weight: 1/2 kg.,measures 10-3/4-inches in diameter with 1-inch high base suitable for rinsing and draining pastas, fruits, and vegetables, unique leaf-shaped hole design prevents small, round food from slipping through, safe to use in dishwasher</p>	10			
15	<p><u>STAINLESS STEEL Semi Round Duo Recycling Bin 40 LT CAPACITY</u> Specification: Made of Salem SS Gr.304, Brushed finish of main body and lid. Inside capacity of PVC containers 20 ltr. each, tentative dimensions : 680x430x380 MM. Lid operatble through paddle lever mechanism. Warranty: minimum 10 yeras. reputed brands namely: Vinod,Neelkanth Ankur, Meso Metalwares Philco</p>	2			
16	<p><u>LARGE PLATE 10" BONE CHINA</u> Specifications: Made of Fine Bone China Ceremic & Eco-friendly, round shape, Microwave safe, Dishwasher Safe, Breakresistant. reputed brand namely: Bharat, Claycraft,Cornet,Marvel</p>	144			

17	<u>HALF PLATE 9" BONE CHINA</u> Specifications: Made of Fine Bone China Ceramic & Eco-friendly, round shape, Microwave safe, Dishwasher Safe, Breakresistant. reputed brand namely : Bharat, Claycraft,Cornet, Marvel	144			
18	<u>B&B PLATES 6.5"</u> Specifications: Made of High Quality Porcelain, White colour, Eco-friendly, round shape, Dishwasher Safe reputed brand namely: Bharat, Claycraft,Cornet, Marvel	144			
19	<u>SOUP CUPS WITH SAUCER (8 FL OZ)</u> Specifications: Made of High Quality Porcelain, one handle, White/Light Cream colour, Eco-friendly, Dishwasher, reputed brand namely: Cermic, feathertouch,Bharat, Claycraft,Cornet,Marvel	64			
20	<u>CEREAL BOWELS 8 FL-OZ</u> Specifications: Made of High Quality Porcelain, White/Light Cream colour, Eco-friendly, Dishwasher,Microwave safe, Breakresistant, reputed brand namely: Cermic, feathertouch,Bharat, Claycraft,Cornet, Marvel	36			
21	<u>CUP & SAUCERS 8 FL-OZ</u> Specification: Made of Fine Bone China Ceramic & Eco-friendly, round shape, Microwave safe, Dishwasher Safe, Breakresistant. reputed brand namely: Cermic, feathertouch,Bharat, Claycraft,Cornet	96			
22	<u>WATER TUMBLER (HIGH BALL)</u> Specifications: Lead free crystal, Solid design, Elegant lines, Strong functionality for multipurpose. reputed brand namely: Maharaja, decent lites,yera	144			
23	<u>JUICE GLASS</u> Specification: 9 FL-OZ Made of Mouth blown, durable & heat resistant borosilicate glass, dishwasher safe , sturdy, lightweight, ridged bottom facilitating easy grip. reputed brand namely: Maharaja, decent lites,yera	72			
24	<u>OBLIQUE MOUTH WATER JUG STAINLESS STEEL 1.5 LT</u> Specifications: Made of Salem SS Grade 304, Oblique mouth, chamfered top with handle, Metal wall thickness 1.0 MM, approx weight:450 to 500 grams, reputed brands namely: Vinod, Ankur, Meso Metalwares Philco	10			

25	<u>STAINLESS STEEL RESTAURANT TRAYS BIG</u> Specifications: Approx Size 400MM x 300MM, Made of Salem SS Grade 304, Sheet thickness 1.0 MM with depth of 20 MM, reputed brands namely: Vinod,Ankur, Meso Metalwares Philco	10			
	OR				
	<u>Silicon Restaurant Trays BIG</u> Specifications: Made of 100% food grade silicon, FDA & LFGB approved, heat resistant (-40 to 250 degrees), qualifying SGS test, colour as per choice, durable and eco-friendly, Tray size 400MM x 300MM, depth of 20 MM	10			
26	<u>STAINLESS STEEL RESTAURANT TRAYS SMALL</u> Specifications: Approx Size 300 MMx 200 MM, Made of Salem SS Grade 304, Sheet thickness 1.0 MM with depth of 20 MM, reputed brands namely: Vinod,Ankur, Meso Metalwares Philco	10			
	OR				
	<u>Silicon Restaurant Trays SMALL</u> Specifications: Made of 100% food grade silicon, FDA & LFGB approved, heat resistant (-40 to 250 degrees), qualifying SGS test, colour as per choice, durable and eco-friendly, Tray size 300MM x 200MM, depth of 20 MM	10			
27	<u>COFFEE POTS 2 PERSONS (300 ML)</u> Specifications: Made of Salem SS Grade 304, 18/8 capacity 300 ML/ 10 OZ with handle, reputed brands namely: Vinod,Ankur, Meso Metalwares Philco	6			
28	<u>COFFEE POTS 4 PERSONS(500ML)</u> Specifications: Made of Salem SS Grade 304, 18/8 capacity 500 ML/ 16 OZ with handle, reputed brands namely: Vinod,Ankur, Meso Metalwares Philco	6			
	TOTAL AMOUNT				

ITEMS UNDER CATEGORY "B"

Commodity & Specification				Unit Price INDIAN RUPPEES	Amount
	NAME OF EQUIPMENTS	QTY	UNITS		
1	SS WORK TABLE	10	EACH		
	SPECS: 48"X24"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET & DRAWER SIZE 13"X18" & 6" DEEP				
	BOTTOM SHELF IS MADE OF 18SWG 304 GRADE SS SHEET				
	VERTICAL PIPES OF 16SWG 38MM DIA SS PIPES				
	WITH POLYPROPLENE ADJUSTABLE FEET				
2	SS FOUR BURNER RANGE WITH OVEN	10	EACH		
	SPECS: 42"X42"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	4 NO BURNERS OF HIGH PRESSURE ON THE TOP				
	WITH ONE PILOT BURNER FOR THE RANGE				
	OVEN GAS OPERATED UNDERNEATH				
	OVEN TO HAVE 16SWG 304 GRADE SS DOOR				
	OVEN INTERIOR TO BE 10SWG MS SHEET				
3	SS STOCK POT STOVE	1	EACH		
	SPECS: 24"X24"X24"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET 10" WIDTH				
	1 NO BURNERS OF HIGH PRESSURE ON THE TOP				
	WITH ONE PILOT BURNER FOR THE RANGE				
	WITH HEAVY DUTY MS GRID ON TOP				
4	SS WORK TABLE WITH SINK	10	EACH		
	SPECS: 42"X24"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	BOTTOM SHELF IS MADE OF 18SWG 304 GRADE SS SHEET				
	VERTICAL PIPES OF 16SWG 38MM DIA SS PIPES				
	SINK IS MADE OF 16SWG 304 GRADE SS SHEET				

A	SINK TO HAVE	10			
	8"center wall mounted faucet				
	OR				
	SS SINK WITH DRAIN BOARD OVERALL SIZE "56X22" & BOWL SIZE "24X18", BOWEL DEPTH 10"USING SALEM SS OF GRADE 304-18/8 WITH MAT FINISH				
5	SS DEMOSTRATION TABLE	1	EACH		
	SPECS: 72"X36"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	BOTTOM SHELF IS MADE OF 18SWG 304 GRADE SS SHEET				
	VERTICAL PIPES OF 16SWG 38MM DIA SS PIPES				
6	SS SALAMANDER	1			
	SPECS: 30"X12"X9"				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	INTERIOR BODY IS MADE OF 16SWG 304 GRADE SS SHEET				
	ELECTRICALLY OPERATED				
	WITH AIR HEATERS WITH 3KW ELEC LOAD				
	WITH ROTARY SWITCH, IDICATOR & THERMOSTAT				
7	GRILLER PLATE	1			
	SPECS: 36"X24"X34"				
	SS EXTEIOR BODY				
	MS CAST RIBBED PLATE 8MM THICK				
	WITH BURNERS V TYPE 2 NO AND PILOT				
8	3 STAGE 6 PLATES OVEN, 3 STAGE NINE PLATE OVEN				
	SPECS: 48" X 36" X62"	1			
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	OVEN TO HAVE 18SWG SS DOOR				
	WITH AIR HEATERS WITH 4KW ELEC LOAD EACH DECK				
	WITH ROTARY SWITCH, IDICATOR & THERMOSTAT				
	ON 6"WHEELS				
9	COMMERCIAL MIXER	1			
	SPECS" 2KG CAPACITY				
10	SS TWO DOOR VERTICAL REFRIGERATOR - 500 LTRS CAPACITY	1			
	SPECS: 54"X30"X80"				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				

	INTERIOR REFRIGERATION TANK IS MADE OF 20SWG 304 GRADE SS SHEET				
	SELF CLOSING LOCKABLE DOORS				
	COMPRESSOER KIT OF KILOSKAR READY KIT				
	DIGITAL THERMOSTAT				
	ON 6"WHEELS				
	STATIC COOLING SYSTEM				
11	SS COOLING RACKS WITH COASTERS	1			
	SPECS: 48"X24"X60"				
	VERTICAL SS SQUARE PIPE OF 1.5"X1.5"				
	WITH SS ANGLE HORRIZONTAL AT 2" GAPS 1.5"X1" EACH				
	ON 6"WHEELS				
12	DIGITAL WEIGHING SCALE	1			
	SPECS: 20 KG				
	TABLE TOP STAINLESS STEEL WITH CURVED CORNERS SIZE APPROX 8" ^{3/4} X10" ^{3/4} OR MORE, LEAST COUNT 2.0 GRAMS, WITH BATTERY BACKUP FOR 25 HRS.				
	APPROVED AS PER GOVT NORMS OF WEIGHTS				
13	CHOPPING BOARDS	10			
	SPECS: 24"X18"				
	POLYPROPOLENE CHOPPING BOARDS				
	2" THICK SHEETS				
14	SS SINK/BASINS WALL MOUNTED	10			
	SPECS" 18"X18"				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	SS MOUNTING BRACKETS				
	OR				
	SS ROUND WASH BASIN SIZE 425X370 MM DEPTH 165 MM WITH 16 SWG, 304 GRADE SS SHEET, SS WALL MOUNTING PIPE,SS PADESTAL WITH FLOOR MOUNTING ATTACHMENTS				
15	DINNING TABLES WOODEN	8			
	SPECS: 36"X36"X30"				
	TOP IS MADE OF LAMINATED WOODEN TOP 19MM				
	WITH SS FRAME TO HOLD CANTILIVERED TOP				
	OR				

	TABLE OF ABOVE MENTIONED SIZE WITH TABLE TOP MADE FROM 19 MM COMMERCIAL TYPE "DURO" BOARD SUPPORTED WITH TOP FRAME 50 MM TEAK WOOD WITH CENTRE GROOVE 8 MMX3 MM, LEGS OF TEAK WOOD SIZE "3X3" WITH INTER CONNECTING SUPPORT/JOINERY SIZE 3"X1 1/2" AT TOP & 6" ABOVE FLOOR LEVEL WITH MATT FINISHED MELAMINE POLISH				
16	DINNING CHAIRS	36			0
	SPECS: 18"X18"X36"				
	WOODEN UPHOLSTERED				
	MS FRAME CROME PLATED				
	OR				
	DINNING CHAIRS SIZE 18"X18"X36" WITH TEAK WOOD SECTIONS OF SIZE 2"X2" CURVED TO ERGONOMICAL SHAPE WITH 12 MM W/P MULTI LAYERED MOULDED PLYWOOD FOR SEAT VIS-A- VIS BACK CUSHIOED WITH MINIMUM 50 MM POLYURETHENE FOAM OF DENSITY 50 OR ABOVE & UPHOLSTERED WITH COTTON FABRIC WITH VALUE RS. 360/MTR. OR ABOVE				
17	WOODEN SIDE BOARD WITH DRAWERS	4			
	SPECS: 48"X18"X42"				
	TOP TO HAVE 3 DRAWERS				
	MADE OF LAMINATED 19MM BOARD				
18	WHITE BOARD	1			
	SPECS: 60"X36"				
	WHITE WRITING BOARD				
19	SS WATER COOLER	1			
	SPECS: 150/150 LITRES				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	COMPRESSOER KIT OF KILOSKAR READY KIT				
	OR				

	FULL SS WATER COOLER 150/150 LTRS SIZE 560X705X1500 MM, COOLING CAP. 150 LTR/HR, STORAGE CAP. 150 LTRS, TWO COLDWATER FAUCETS, HERMETICALLY SEALED RETURN GAS COOLED COMPRESSOR WITH OLP, PROPELLER TYPE CONDENSER FAN, AUTO TEMP. CONTROL, R22/134a REFRIGERANT, POWER SUPPLY 230V, 1 PH. MAX. CURRENT 7.5 A, reputed brands namely: VOLTAS/BLUE STAR				
20	PLATE WARMER CUM DISPENSER SPECS: 50 PLATE WELL EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET ELECTRICAL LOAD 1KW AIR HEATER	1			
21	MICROWAVE OVEN WITH CONVECTION SPECS: 22 LITRES SS BODY	1			
22	BAIN MARIE COUNTER SPECS: 84"X30"X34" EXTERIOR BODY FULL HT IS MADE OF 18SWG 304 GRADE SS SHEET WATER TANK IS MADE OF 18SWG 304 GRADE SS SHEET TOP IS MADE OF 16SWG 304 GRADE SS SHEET WITH POLYPROPLENE ADJUSTABLE FEET	1			
A	SS GN PANS 1 BY 1 X 6"	4			
23	STEEL ALMIRAH (1980MM X 915MMX485MM) STEEL ALMIRAH/PLAIN STOREWELL SHOULD HAVE 4 ADJUSTABLE SHELVES WITH THREE WAY BOLTING DEVICE, SIX LEVER LOCK. THE CABINET & SHELVES SHOULD BE MADE OF COLD ROLLED CLOSE-ANNEALED STEEL HAVING SEVEN STEP ANTI CORROSION TREATMENT WITH MULTIBRAND SCAMBLES CONSTRUCTION. THE PRODUCT SHOULD BE ELECTOSTATICALLY PAINTED USING ALKYL AMINO PAINT. THE LEGS SHALL BE HIGHLY STURDY WELDED ALTHOUGH FOR PROVIDING STABLE BASE.	2			
24	SS WORK TABLE WITH 2 SHELVES	2			

	SPECS: 72"X24"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16 SWG 304 GRADE SS SHEET & 1 NO. ADDITIONAL SHELVE OF SIZE 72"X24" AT A VERTICAL DISTANCE OF 14" FORM TOP, SHEET THICKNESS 18 SWG 304 GRADE SS				
	BOTTOM SHELF IS MADE OF 18SWG 304 GRADE SS SHEET				
	VERTICAL PIPES OF 16SWG 38MM DIA SS PIPES				
	WITH POLYPROPLENE ADJUSTABE FEET				
25	SS STORAGE RACK	2			
	SPECS: 36"X18"X72"				
	VERTICALS OF 38MM SS PIPE				
	WITH 4 SS SHELVES OF 18SWG SS SHEET				
	WITH POLYPROPLENE ADJUSTABE FEET				
26	SS FOUR BURNER RANGE	2			
	SPECS: 36"X36"X34"				
	FRAMEWORK IS MADE OF SS ANGLE				
	TOP IS MADE OF 16SWG 304 GRADE SS SHEET				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	4 NO BURNERS OF HIGH PRESSURE ON THE TOP				
	WITH ONE PILOT BURNER FOR THE RANGE				
27	SS TWO DOOR FRIDGE	1			
	SPECS: 30"X 30"X80"				
	EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET				
	INTERIOR REFRIGERATION TANK IS MADE OF 20SWG 304 GRADE SS SHEET				
	SELF CLOSING LOCKABLE DOORS				
	COMPRESSOER KIT OF KILOSKAR READY KIT				
	DIGITAL THERMOSTAT				
	ON 6"WHEELS				
	STATIC COOLING SYSTEM				
	OR				

	DOUBLE DOOR FRIDGE 310 LTRS. WITH CAP. RANGE 310 TO 330 LTRS, VOLTAS RANGE 220V AC, FROSTFREE, INSULATION: PUFF/MAXI 2/POLY URETHAINE, REFRIGERANT CFC FREE, POWER SAVER COMPRESSOR, ACCESSORIES: ADJUSTABLE SHELVES, CHILLER TRAYS WITH OTHER STANDARD ACCESSORIES. MINIMUM 3 yeraS WARRANTY STEEL GREY METALLIC FINISH & COMPLYING IEC SAFETY STANDARDS.				
28	SS GAS TANDOORS SPECS: 36"X36"X36" EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET INNER COOKING TANDOOR OF CLAY WITH TART COVER SPECIAL FURNACE INSULATION WITH GLASSWOOL ON 6" WHEELS BOTTOM TO BE 1/2" ms PLATE WITH BURNER AND PILOT	1			
29	WOODEN STORAGE ALMIRAHS SIZE: 36"X24"X84" WITH 8 NOS. DRAWERS AND 2 NOS. BIG SHELVES MADE OF 19 MM COMMERCIAL BOARD WITH INSIDE & OUTSIDE LAMINATE. THE DRAWERS WITH 100/120 MM, SS HANDLES,SS SLIDING CHANNELS, SHUTTERS WITH 150 MM, SS HANDLES & 75 MM M.P RECESSED LOCK WITH KEY HOLE & MAGNET CATCHER.	1			
30	SS REFRIGERATING RANGE CURVED GLASS DISPLAY COUNTER SPECS: 60"X30"X48" EXTERIOR BODY IS MADE OF 18SWG 304 GRADE SS SHEET INTERIOR REFRIGERATION TANK IS MADE OF 20SWG 304 GRADE SS SHEET CURVED GLASS 12MM THICK COMPRESSOER KIT OF KILOSKAR READY KIT DIGITAL THERMOSTAT WITH 2 GLASS SHELVES STATIC COOLING SYSTEM	1			
31	SS STORAGE CONTAINER SPECS: 15LTR CAP EXTERIOR BODY IS MADE OF SS SHEET	1			

	INTERIOR BODY IS MADE OF SS SHEET				
	WITH HEATING ARRANGEMENT				
	TAP PROVIDED				
32	SS STORAGE CONTAINER	1			
	SPECS: 10LTR CAP				
	EXTERIOR BODY IS MADE OF SS SHEET				
	INTERIOR BODY IS MADE OF SS SHEET				
	WITH HEATING ARRANGEMENT				
	TAP PROVIDED				
33	SS STORAGE CONTAINER	1			
	SPECS: 5LTR CAP				
	EXTERIOR BODY IS MADE OF SS SHEET				
	INTERIOR BODY IS MADE OF SS SHEET				
	WITH HEATING ARRANGEMENT				
	TAP PROVIDED				
34	DEEP FREEZER	1			
	SPECS: 42"X27"X36"				
	300 LITRES				
	CRC WHITE BODY				
	REFRIGERATING RANGE FOR UPTO -18 DEGREES				
	OR				
	DEEP FREEZER WITH CAPACITY 298-320 LTRS., UV GRADE PLASTIC BODY WITH POWER PAINTED GLOSSY EXTRIOR FINISH HAVING 60 MM PUF INSULATION, SINGLE METALLIC DOOR WITH SPRING LODDED HINGES, DOOR LOCK, SUNKEN HANDLE, CASTOR WHEELS, ONE BASKET, USING R-134 a REFRIGERANT, OPERATING VOLTAGE 220V- 1PH - 50HZ reputed brands namely i.e. VOLTAS/BLUE STAR/WHIRLPOOL				
35	EXHAUST HOOD (ELEC Chimney)	1			
	SPECS: 90"X60"X24"				
	SS EXTERIOR BODY OF 18SWG SS 304GRADE SHEET				
	WITH OIL TRAP SYSTEM				
	& DRIP CONTAINER				
	CHANNELS FOR SS Filters				
A	SS FILTERS	8			
	SPECS: 20"X20"X2"				

	MADE OF 20SWG SS SHEET				
	BAFFLE FILTERS				
	OR				
	ELECTRICAL CHIMNEY WITH SIZE 600 MM, SS ANTISCRATCH BODY WITH AIRSUCTION CAPACITY 1000 M ³ /Hr, 2 BLOWERS MAXIMUM NOISE LEVEL BELOW-62 DB, AIR OUTLET TUBE DIAMETER 120 MM, REPUTED BRAND NAMELY: FABER, KAFF, GLEN, SEIMENS.				
36	EXHAUST CENTIFUGAL BLOWER	1			
	SPECS: 18" INLET MOUTH & BLOWER OF 24"				
	MS BODY				
	3HP ISI MOTOR				
	OR				
	EXHAUST FAN WITH 450 MM SWEEP AND 1400 RPM WITH MS BLADES, HEAVY DUTY MOTOR, DOUBLE BALL BARING, CAPACITY TO WORK CONTINUOUSLY FOR 12-15 HRS./DAY. THE BLADES AND MOTOR, CASING, BRACKETS etc. DULY STOVE ENAMELLED PAINTED, REPUTED MAKE NAMELY: CROMPTON, AEROTECH, ALSTOM, BAJAJ				
37	FIRE EXTINGUISHER ABC TYPE	5			
	SPECS 10 LTR CAP ABC POWER BASED MAP 90 WITH EASY SNAP SAFETY SEAL , PRESSURE GAUGE, CONTROLABLE DISCHARGE MECHANISM, INSTA ALERT, EPDM RUBBER HOZE PIPE 5 YAERS WARRANTY AND CONFORMING TO ISI STANDARDS AND REPUTED BRANDS NAMELY: SEASE FIRE , ZENITH, MINIMAX,SUPREMAX,FIREQUIP				
38	sandwitch GRILLER- ELECTRIC	1			
	SPECS: SIGLE PAN				
	SS EXTEIOR BODY				
	MS CAST RIBBED PLATE WITH ROTARY SWITCH,INDICATOR & THERMOSTAT, ELECT. LOAD 3 KW/1 PH, reputed brands namely: VENUS,BOSS, OEM				

39	ELECTRIC GEYSER	1			
	SPECS: 20 LITRE CAPACITY, ABS BODY, 2KW, TUBLER HEATING ELEMENT AS PER IS 4159, AUTOMATIC TEMP. CONTROL WITH THERMOSTAT AS PER IS 3017, FIRE RETARDANT CABLE AS PER IS 694, PRESSURE RELEASE WALL, FUSIBLE DRAIN PLUG, HIGH DENSITY, PU FOAM INSULATION OF reputed brands namely: RACOLD, VENUS, REMSON, CROMPTON,				
	TOTAL AMOUNT				

Central Board of Secondary Education

BANK GUARANTEE

Bank Guarantee No. :
Date of issuing :
Amount of Bank Guarantee :
Guarantee cover from :
Last date of lodgement of claims : ----- (including claim period)

This Deed Guarantee executed by (bank name and address) (hereinafter referred to as the "BANK") in f/o Central Board of Secondary Education, Delhi. (hereinafter referred to as the "THE BENEFICIARY"), for an amount not exceeding Rs.....; as the request of having its registered office, _____ New Delhi- 110092 (hereinafter referred to as " THE ISSUER")

The guarantee is issued subject to the condition that the liability of BANK under this guarantee is limited to a maximum of Rs. _____ and the guarantee shall remain in force up to _____ and cannot be invoked otherwise than a written demand or claim under this Guarantee served on the BANK on or before _____.

SUBJECT TO AS AFORESAID

- (a) Our liability under this guarantee shall not exceed Rs. _____ (Rs. _____ only)
- (b) This bank guarantee shall be valid up to _____.
- (c) We are liable to pay the guarantee amount or part thereof under this BANK Guarantee only if you serve upon us a written document on to be received on or before _____.

The Bank, through its authorized officers, has set the hand and stamp on this _____
New Delhi.

For and on behalf of Bank

Authorized signatories

