Gram: CENBOSEC, Delhi – 92 E-Mail: cbsedli@nda.vsnl.net.in

website: www.cbse.nic.in



Phone: 22509256-59 Fax: 22515826

Data: 20 10 2011

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Union Ministry of Human Resource Development Govt. of India) "SHIKSHA KENDRA", 2, COMMUNITY CENTRE, PREET VIHAR, DELHI – 110092

No.	Date: 20.10.2011
••••••	
•••••	
••••••	
••••••	
Sub:- Limited Tender for CCTV System, H	Q. Bldg.
Sir,	
The CBSE intends to provide CCTV repute with minimum 5 years experience and costing Rs. 1.50 lakh or more in reputed or	· ,

h 10,000/- payable through DD/BD in f/o the Secretary, CBSE must be attached with the Technical-Bid. The interested agencies must enclose all requisite documents with the Technical-Bid. Price-Bid must be sealed separately. Both the envelopes i.e. Technical and Price Bids be placed in a bigger envelope superscribed "CCTV work at HQ." Sealed tenders complete in all respect must be submitted latest by 07.11.2011 upto 2:00 p.m. & dropped in a tender box placed at Reception Hall, CBSE HQ Bldg., 2, Community Centre, Preet Vihar, Delhi-92. The technical-bids shall be opened on the same day at 2:30 p.m.

Incomplete & conditional tenders shall be summarily rejected. The Secretary, CBSE reserves the right to reject any or all the tenders without assigning any reason thereof

Yours faithfully

(S.K. SHARMA) **SR. ENGINEER (ESTATE)**

CENTRAL BOARD OF SECONDARY EDUCATION Preet Vihar, Delhi-110092

INSTRUCTIONS TO THE TENDERERS

- 1. The tenderers must study the tender documents minutely and quote for the specified products only.
- 2. Incomplete and conditional tenders (means any extra condition put-in by tenderer other than laid down in this tender) shall be summarily rejected without assigning any reason.
- 3. Rates are to be quoted in words and figures without any cutting/overwriting. If there is difference in words and numbers, lowest will be accepted.
- 4. The Short-Listed/Pre-qualified agencies shall be required to give demonstration/presentation of the equipment with proposed system. In case the agency fails to report for demonstration of the system, it shall stand disqualified without giving any notice.
- 5. The agency should quote the rates, only after visiting the site and proper assessment of work.
- 6. Complete product brochure must be attached with the Tech.-Bid. If the product is not in specified makes and/or is not fulfilling tender specification it will be disqualified without assigning any reason.
- 7. The Tech.-Bid shall be opened on 10/10/2011 at 2:30 pm in the presence of the tenderers.
- 8. Any additional information required by CBSE in respect of the tender/past works shall be submitted by the tenderers within three working days, failing which the offer shall not be entertained and will be summarily rejected.
- 9. Tenders received without EMD of Rs. 10,000/- in the form of a DD/BD shall be summarily rejected.
- 10. Experience documents must be attested through a Gazetted Officer.

CENTRAL BOARD OF SECONDARY EDUCATION

Preet Vihar, Delhi-110092

LIMITED TENDER TECHNICAL-BID

Tender form No.....

Last date of submission: 07/11/2011 Upto 2:00 p.m.

Note : Instructions to the Tenderers			: Tenderer must read the Instructions: before filling the particulars in this part.					
1. <u>C</u>	redentials of the	<u>Tenderers</u>						
1.1	Name of the Ag	ency with						
	Regn. No.							
1.2	Office Address	and						
	Tel. No.							
1.3	Name(s) of the l	Proprieter/						
	Partners/ Direct	ors						
1.4	WCT/ VAT/ CS	ST No						
1.5	PAN No.							
	(with document	ary evidence)						
	`	r during last three	vears					
	008-09, 2009-10	· ·	•					
`	•	,						
	• •	·						
2.1	_	-	•					
		of work order/P			•			
	Such as copy	of work order/1	o cic.					
SL. Nos.	Year	Name of the Organization	Cost of the work (executed)	Officers Concd. In the Organization with T.No.	Period From			
01.	2008-2009							
$\frac{02.}{03.}$	2009-2010 2010-2011							
2.2	Has the firm bed Listed by any or If 'Yes' the deta The organization	uils thereof. nal set-up includi structure/staff stre	 					

2.4	Similar work in hand at Delhi/NCR and near- by cities
2.5	Particulars of Demand Draft paid as Earnest Money:
	Amount:
	DD NO.:
	Issuing Bank with date of issue:
	(Signature of the tenderer) With complete address and seal
	Tel. No. :
	Mobile No.:
	Place:
	Date:

Technical specification

1. Dome/ BOX CCTV Camera

Very High Resolution Day & Night Camera Type

1/3" CCD Sony CCD Sensor Sensor

Signal System 580TV lines or better

Video Output $1-Vp-p/75\Omega$

Sensitivity 0.1 Lux (F 1.2) or better

S/N Ratio 48db or better

Power 12V±10% (for rough power conditions) 3mm-10mm, vari-focal, Auto iris, Lens

DC (Must have the IRIS Control for different Iris Drive

light condition)

Flickerless Yes (Camera Flickering in front of light source

will not be accepted)

WDR Yes/Selectable

Day & Night Auto/manual, (dip Switch Settings) **Back Light Compensation** Auto/manual, (dip Switch Settings) White Balance Auto/manual, (dip Switch Settings)

Protection: **IP66**

Acceptable brands

Samsung, Pelco, Honeywell, Bosch, Panasonic, GE.

2. **Power Supply**

Type SMPS power supply

Input $230V \pm 10\%$ Output $12 \pm 10\%$ Amp Rating 3 Amp Switching time $\leq 10 \text{ms}$

3. Digital Video Recorder

Video input 16 channels (8 Cameras for future up-gradation) Video output BNC/composite/RC/VGA (only VGA input is

not accepted)

Compression H.264

Resolution CIF to 4CIF (PAL), should be selectable.

Display Rate Min 400 fps (PAL), Recording rate Min 400 fps (PAL),

Dual Streaming Yes (Must have Dual Streaming)

Play back selectable

Recording bit rate variable upto 1Mps Recording mode Manual/scheduled Hard disk capacity 4TB inbuilt,

Expandability Provision for additional hard disks to be

inbuilt, upto 8TB

Redundancy recording Yes Remote Network Support Remote query, playback and download video

files,

Network Protocols TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP,

Backup DVD R/W/ and USB, Remote. Communication TCP/IP, RS-485, RS-232

Remote operation TCP/IP, inbuilt web server, Remote

software included.

Operating Temperature 0 deg to 50 deg

Power 230VAC

4. Monitor 19" Inches

Type LCD

Video input Must have Composite Video Input,

(LCD/TFT having only VGA input will not be accepted and will be Summarily rejected)

Size 19 inches or more
Contrast Ratio 5,000:1 or better
Brightness min 300cd/m²
View Angle 160H/V or more
Resolution 1680 X 1050
Response Time 7 ms or less

Stand Wall mount or table top, included

Power 230V AC

5. Line interactive UPS

Type Online UPS

Capacity IKV
Switching time $\leq 10 \text{ms}$ Input Voltage 160-270 V ACOutput Voltage $230 \text{V} \pm 10\%$

Battery Backup Battery Included, Minimum 15 Mins Backup.

Acceptable brands

Luminous, Microtek, Emerson, APC,

6. Cables

(a) Video cable RG-59, copper conductor,

(b) Power cable 2 core 1.5 sq mm, multi strand, copper

conductor

(c) Data cable 8 core data cable, 14/38. copper conductor

Acceptable Brands

Finolex, Excel, Incol, Plaza,

7 Conduit

(a) Conduit/channel

1" PVC Conduit,

Acceptable makes Plaza, Excel, AKG, Setia

Important

- 1. Before quoting for, please ensure from your end that all these devices should be/are compatible with each other., such as DVR etc. CBSE will not be responsible in any way/whatsoever reason.
- 2. All Products needs to be supported with original technical brochures/ specification sheets issued by the respective manufacturer.
- 3. All quoted items must be mentioned with exact model no., make etc. in technical as well as the price-bids.

Compliance Statement

S.No.	Requirement	Complianc Model & Make		& Make	Description of Model & Make
	(Description/Statement)	e Deviation 0% (+/-)	Make	Model	being offered
	1 CCTV Camera				
	Type: Dome/ Box Camera Sensor: 1/3" CCD Sony Sensor Signal System: 580TV lines or better Video Output: 1-Vp- p/75 Sensitivity: 0.1 Lux (F 1.2) or better S/N Ratio: 48db or better WDR: Yes/Selectable				
	Power: 12V±10% (for rough power conditions) Lens: 3mm-10mm, Verifocal focal, Auto iris, Iris: Drive DC (Must have the IRIS Control for different light condition)				
2 I	Power Supply				
	Type SMPS				
	Input 230± 10%				
	Output 12± 10%				
	Amp Rating 3 Amp Switching time ≤ 10ms				
3 I	Digital Video Recorder				
	Video input: 16 channels Video output: BNC/composite/RC/VGA (only VGA input is not accepted Compression: H.264 Recording Resolution: CIF to 4 CIF (PAL), should be selectable. Dual Streaming: Yes Dual Streaming Display Rate: Min 400 fps (PAL) at CIF Recording rate: Min 400 fps (PAL) at CIF Image Quality: User				

		 -	
	Selectable		
	Recording bit rate:		
	variable upto 1Mps		
	Recording mode:		
	Manual/scheduled		
	Hard disk capacity:		
	4000G inbuilt,		
	Expandability: Provision		
	for additional hard disks to		
	be inbuilt, upto 8TB Backup		
	DVD R/W/ and USB,		
	Remote.		
	Communication: TCP/IP,		
	RS-485, RS-232		
	Remote operation:		
	TCP/IP, inbuilt web server,		
	Remote software included.		ļ
4	102 I CD M: 4		
4.	19" LCD Monitor		
	Type: LCD		
	Video Input:		
	BNC/RC, Must have		
	Composite Video Input,		
	(LCD/TFT having only		
	VGA input will not be		
	accepted and will be		
	Summarily rejected)		
	Size: 19 inches or more		
	Contrast Ratio: 5,000:1 or		
	better		
	Brightness: min 300cd/m2		
	View Angle: 160H/V or		
	more		
	Resolution 1680 X 1050		
	Response Time 7 ms or		
	less		
	Power 230 AC		
	Stand Wall mount or table		
	top, included		
5.	UPS		
	Capacity 1KV		
	Switching time ≤ 10ms		
	Input Voltage 160-270V		
	AC		
	Output Voltage 230V±		
	10%		
	Battery Backup		
	J - I		ı

	Battery Included,		
	Minimum 15 Mins		
	Backup.		
(Caldan		
6	Cables		
	(a) Video cable RG-59U		
	(b) Power cable 2 core		
	1.5 sqmm, multi stand		
	(c) Data cable 8 core		
	data cable, 14/38 Gauge		
_			
7	Conduit & Channels		
		 Т	_
	Conduit 1" PVC		
	Conduit		

Authorised Signatory

Name of organization

Name of auth. Person

Tel/Mob. No: Email ID

Sign with Seal

Price Bid CCTV System for HQ. Bldg. Preet Vihar, Delhi-92

SI. No	Discription	Make	Model	Qty	Unit Price	Amount
1.	C.C.T.V. Camera			8 No		
2.	Power Supply			2 No		
3.	DVR			1 No		
4.	19" LCD Monitor			1 Nos		
5. U	JPS			1 Nos		
6. I	% L of Cables					
	(i) Video Cable (ii) Power cable (iii) Data Cable			500 R mtrs. 300 R mtrs. Rate Only		
7.	P & L of PVC Cond	luit		500 R mtrs.		
8.	Installation & Con (Including necessa Termination boxe Saddle & spacer e to CBSE staff/Off operation of the sy	ary junction l s, Connector tc, including icer Incharge	boxes, s, accessor training	ries,		
9.	AMC for 3 Years ((Non-Compr	rehensive)	LS		

Above Rates should be inclusive of all kinds of tax, packing forwarding etc.

Authorised Signatory

Name of organization

Name of auth. Person

Tel/Mob. No: Email ID Sign with Seal

Terms and Conditions

- 1. The work must be executed as per the specifications and best engineering practice.
- 2. Rates must be quoted both in figures & words.
- 3. Cutting/overwriting should be avoided. In case of any cutting/overwriting, the same must be initialed/authenticated.
- 4. Rates are to be quoted on the prescribed format.
- 5. CBSE reserves the right to deviate the quantity. Any item can be deleted if not required as per site condition. Payment shall be made on the basis of the measurements.
- 6. ALL T & P shall be arranged by the agency at their own cost.
- 7. In case of any damage to the structure, the same shall be made good by the agency.
- 8. The rates quoted must be inclusive of all Taxes.
- 9. Since the firms are required to give demonstration of the proposed system, Board does not bind itself to accept the Lower-bid or to give any reasons for its decisions.
- 10. The agency shall be bound to complete the work within 45 days from the issue of the work order.
- 11. In case of delayed execution a penalty @ 1% per week shall be levied.
- 12. The agency selected for the work shall deposit a performance guarantee equivalent to 10% of the total value of the work. It can be submitted in the form of the Bank Guarantee.
- 13. In case of slow progress & the Board put to any financial loss, the CBSE shall invoke the Bank Guarantee.
- 14. The agency shall submit all the guarantee cards/Brochures to the Engineer-In-Charge.
- 15. All materials brought to site shall be subjected to the approval of the Engineer-In-Charge. In case of any unapproved material is used, the same shall be removed by the agency at his own expense.
- 16. Non Comprehensive AMC shall for a period of 3 years shall have to be undertaken by the agency for which separate agreement shall be executed.
- 17. 10% of the basic value of bill shall be retained as defect liability for a period of six months effective from the date of completion. In case of satisfactory performance, the same shall be refunded without interest.
- 18. No running payment is permissible however; the final bill would be processed & cleared within 30 days from the date of its submission.
- 19. The equipments / products installed must be <u>guaranteed</u> for a period of one year from the date of completion.
- 20. The safety & security of the equipments/products after its installation shall rest with the Board.
- 21. The complaint if reported shall be got rectified by the agency within 24 hours failing which a penalty @ Rs. 200/- per day shall be levied.
- 22. In case of any dispute, the Chairman shall have the right to appoint an Arbitrator whose decision shall be final & binding on both the parties.

(Signature of the Agency) With complete address and seal Add.
Tel. No.:
Mobile No.: