CENBOSEC, Delhi – 92 E-Mail: cbsedli@nda.vsnl.net.in

F-2021/ROT/SS/2013



Phone: 22509256-59 Fax: 22515826 website: www.cbse.nic.in

#### CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Union Ministry of Human Resource Development Govt. of India) "SHIKSHA KENDRA", 2, COMMUNITY CENTRE, PREET VIHAR, DELHI – 110092

F-202	1/ROT/SS/2013 06.11.2013
•••••	•••••••
•••••	•••••••••••
•••••	
•••••	
Sub:	Limited Tenders for P&F of CCTV, Attendance/Access Control Systems
	for Regional Office, Trivandrum
Sir,	
	The CBSE intends to provide CCTV, Attendance/Access Control Systems

System for Regional Office, Trivandrum. Reputed agencies of with minimum 5 years experience and having executed two (2) similar works each costing Rs. 4.0 lakh or more in reputed organizations need apply. An EMD of Rs. 10,000/payable through DD/BD in f/o the Secretary, CBSE must be attached. The interested agencies must enclose all requisite documents. Price-Bid must be sealed separately. Sealed tenders complete in all respect must be submitted latest by 15.11.2013 upto 2:00 p.m. & dropped in a tender box placed at Kendriya Vidyalaya, Pattom, Trivandrum. Also, tenders duly filled-in can be dropped in the tender-box placed at Reception Hall, CBSE HQ Bldg., 2, Community Centre, Preet Vihar, Delhi-92. The technical-bids shall be opened on the same day at 2:30 p.m.

Incomplete & conditional tenders shall be summarily rejected. The Secretary, CBSE reserves the right to reject any or all the tenders without assigning any reason thereof.

> (S.K.Sharma) Consultant(Tech.)

## CENTRAL BOARD OF SECONDARY EDUCATION TECHNICAL BID

Last date of submission: 15.11.2013 Upto 2:00 p.m.

Name of work : <u>Limited Tenders for P&F of CCTV, Attendance/Access Control Systems for Regional Office, Trivandrum</u>

1. <u>Cr</u>	edentials of the T	<u>enderers</u>						
	.1 Name of the Agency with							
	2 Office Address and Tel. No.							
	Name(s) of the Pr Partners	roprieter/			 			
1.4	WCT No.							
1.5	PAN No.							
(	(with documentar	y evidence	<b>a</b> )					
	Annual turnover ( 010-11,2011-12,2	•	•	rs				
SI	upported with do	cumentary	y evidence.					
2. Pa	ast Experience (pr	referable la	ast three y	ears)				
	With all neces	sary docu	mentary e	vidence				
	Such as copy of	of work or	der etc.					
SL. Nos.	Year	Name of Organiza		Cost of the work (executed)	Officers Concd. In the Organization with T.No.	Period From		
01.	2010-2011							
02.	2011-2012	†						

03.

2012-2013

2.1 Has the firm been ever debarred/Black	
Listed by any organization?	
If 'Yes' the details thereof.	
2.2 Similar work in hand at Trivandrum or near cities	
2.3 The organizational set-up including Technical infrastructure/staff strength in all	the categories.
2.4 Particulars of Demand Drafts annexed a	s Earnest
Money & Cost of tender	
Amount :	
DD Nos. :	
Issuing Bank with date of issue:	
	(Signature of the tenderer)
	With complete address and seal
	Tel. No.:
	Mobile No.:
	Place:
	Date :

### **Technical specification**

1. Dome Indoor IR CCTV Camera

Type Very High Resolution Day & Night Camera

Lens 1/3" CCD Sony CCD Sensor

Signal System 530TV lines or better

Video Output  $1-Vp-p/75\Omega$ 

Sensitivity 0.1 Lux (F 1.2) or better

S/N Ratio 56db or better

Power 12V±10% (for rough power conditions)

Lens 3.6mm fixed Lens, Auto iris,

Iris Drive DC (Must have the IRIS Control for different light

condition)

Flickerless Yes (Camera Flickering in front of light source will

not be accepted)

Day & Night Auto/manual, (dip Switch Settings)

Back Light Compensation Auto/manual, (dip Switch Settings)

White Balance Auto/manual, (dip Switch Settings)

Box Camera is quoted it should be quoted with suitable housing and stand for indoor application, all specs are same as above, except lens will be varifocal 3.8mm-12mm

Acceptable brands

Samsung, Pelco, Honeywell, Bosch, Panasonic, GE.

#### 2. Indoor Speed Dome Camera

Type Very High Resolution Day & Night Speed

Dome Camera

Sensor 1/3" or 1/4" Interline CCD, WDR Camera

Signal System 600 TV lines or better

Optical Zoom 10X (3mm to 30mm or more)

Digital Zoom 10X or more

Protocol support PELCO-D, Panasonic, Vicon, Honeywell,

(Multiple protocol)

Video Output  $1-Vp-p/75 \Omega$ 

Sensitivity 0.1 Lux

Motion Detection On / Off selectable

Preset Positions 128 or more

Rotation Angle Pan: 300° or more, Tilt: -0° ~ -180°

Focus Control Auto / Manual

Communication RS-485, RS-422, RS-232C, TCP/IP

Operating Temperature 0° ~ +50°C

Day & Night Auto/manual, User Selectable

Back Light Compensation Auto/manual, User Selectable

White Balance Auto/manual, user Selectable

Power Supply Included

Housing and Bracket Indoor housing with bracket and cable

Management

Note: Separate PAN, TILT and Zoom Camera configuration is not acceptable, hence

should not be quoted.

Acceptable brands

Honeywell, Panasonic, Samsung, Pelco, Bosch

#### 3. **Digital Video Recorder**

Video input 16 channels

Video output BNC/composite/RC/VGA (only VGA input is

not accepted)

Compression H.264

Resolution CIF to 4CIF (PAL), should be selectable.

Display Rate Min 400 fps (PAL),

Recording rate Min 400 fps (PAL),

Dual Streaming Yes (Must have Dual Streaming)

Play back

#### Simultaneous 1/4/8/16 (only Single Channel

#### playback is not acceptable)

Recording bit rate variable upto 1Mps

Recording mode Manual/scheduled

Hard disk capacity 1 TB

Expandability Provision for additional hard disks to be

Support, upto 4TB

Redundancy recording Yes

Recording Time Period Not less 5

Remote Network Support Remote query, playback and download video

files,

Network Protocols TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP,

Communication TCP/IP, RS-485, RS-232

Remote operation TCP/IP, inbuilt web server, Remote

software included.

Operating Temperature 0 deg to 50 deg

Power 230VAC

Acceptable brands

Samsung, Honeywell, Hikivision, Panasonic,

#### 4. LCD 25"

Type LCD

Video input Must have Composite Video Input, (LCD/TFT

having only VGA input will not be accepted and will

be Summarily rejected)

Size 22 inches or more

Contrast Ratio 5,000:1 or better

Brightness min 300cd/m<sup>2</sup>

View Angle 160H/V or more

Resolution 1680 X 1050

Response Time 5 ms or less

Power 230V AC

Acceptable brands

Samsung, Honeywell, LG, SONY, PANASONIC.

## 5. Power Supply

Type SMPS power supply

Input 230V± 10%

Output 12± 10%

Amp Rating 3 Amp

Switching time ≤ 10ms

#### 6. Cables

(a) Video cable 3+1 solid copper

Acceptable brands : D-Link, kalinga, Anchor

#### 7. Conduit

(a) Conduit/channel 34 /1" PVC Conduit

Acceptable Brands: AKG, Setia/Polycab/other equivalent ISI Marked

# **Schedule of work**

# "Price-Bid"

## Name of work: <u>S.I.T.C of CCTV system at R.O. Trivandrum</u>

S.No.	Description of item	Qty.	Unit	Rate	Amount
1	H.264 compression 16ch DVR with 16 video input,1ch audio input (RCA),2SATA HDD support,USB 2.0,Record: support CIF realtime recording or D1 (4CIF) recording with 6/7fps, dual encoding streams, smart phone monitoring(windows mobile) Model,Samsung1652  Approved brands: As per tech. specification sheet	1			
2	Samsung 2020P, Dome Indoor IR,1/3 Sony super HAD CCD color,600 TVL,IR Fixed lens o Lux,3.5 MM Lens,IR Wall mounted Approved brands : As per tech. specification sheet	7			
3	Samsung Indoor Speed Dome Camera with 600 TVL,1/3 CCD Sony Lens,10XDizital Zoom,with optical Zoom,Rotation Angel 360",Tilt 180: with day night mode Approved brands: As per tech. specification sheet	3			
4	Samsng LCD 25 " Display Unit For Camera  Approved brands : As per tech. specification sheet	1			
5	Balun Connectors	20			
6	Installation, commissioning and delivery Charges complete etc.	10 pcs			
7	Western Digital 1 TB	1			
8	Power supply For 10 Cameras 10 Amp (reputed brands)	1			

	Wiring with 3+1 copper wire in PVC conduit pipe			
9	20 mm	150	Mtr.	
9	25 mm	100	Mtr.	
	Approved brands : As per tech. specification sheet			
10	Non-comprehensive AMC charges per year (for next 3 years)	% rate of hardware cost	L.S.	

## **Grand Total**

( Signature of the Agency) With complete address and seal
Add
Tel. No.:
Mobile No.:

# **Schedule of work**

## "Price-Bid"

# Name of work: <u>S.I.T.C of Attendance Machine/Access control system at R.O.</u> <u>Trivandrum</u>

	ATTANDENCE MACHINE/ ACCES	S CONTROL	SYSTE	M	
S.No.	Description of item	Qty.	Unit	Rate	Amount
1)	Supply, installation, testing & Commissioning of centralised Access Door controller capable of controlling 2 Nos. doors (2 Nos. Access Control Doors) along with individual access door controllers/ Reader modules, required interface module for connecting to existing PC for Access control systems, Time attandence software module, power supply unit with SMF batteries etc. complete as per specifications and as required. The system shall be capable of managing upto 5000card holders database. The Access control software shall be server client base and shall be able to support four to five users simultaneously. The Colour Printer shall be provided for printing of Cards. Real Time (Make Korean)	1	Set		
2)	Supply, installation, testing & commissioning of Proximity Digital Card Reader with a range of 3-5" complete as required and as per specification. complete as required.with 30 Nos Card	30	Nos		
3)	Supply, installation, testing & commissioning of Emergency exit push button including break glass enclosure complete as required.	1	No.		
4)	Wiring with Cat 6 cable (Approved brand : D-Link)	45/-mtr			
5.	P&F of PVC conduit on surface/recess (as per directions of the Engineer Incharge ) (Approved brands: AKA/Setia/Polycab/other ISI marked 20 mm	30	Mtr.		
6.	S&F metal box of nominal size on surface/recess with phenolic laminated sheet cover i/c ptg. Etc. as required.	2	Nos.		
	75 x 75 x 60 mm 150 x 75 x 60 mm	1	No.		

7.	Non-comprehensive year (for next 3 years)	AMC	Charges	Per	% rate of hardware cost		

## **Grand Total**

(Signature of the tenderer)
With complete address and sea
Tel. No.:
Mobile No.:
Place:
Dete
Date:

#### **Terms and Conditions**

- 1. The work must be executed as per the specifications and best engineering practice.
- 2. Rates must be quoted both in figures & words.
- 3. Cutting/overwriting should be avoided. In case of any cutting/overwriting, the same must be initialed/authenticated.
- 4. Rates are to be quoted on the prescribed format.
- 5. CBSE reserves the right to deviate the quantity. Any item can be deleted if not required as per site condition. Payment shall be made on the basis of the measurements.
- 6. ALL T & P shall be arranged by the agency at their own cost.
- 7. In case of any damage to the structure, the same shall be made good by the agency.
- 8. The rates quoted must be inclusive of all Taxes.
- 9. Since the firms are required to give demonstration of the proposed system, Board does not bind itself to accept the Lower-bid or to give any reasons for its decisions.
- 10. The agency shall be bound to complete the work within 20 days from the issue of the work order.
- 11. In case of delayed execution a penalty @ 1% per week shall be levied.
- 12. The agency selected for the work shall deposit a performance guarantee equivalent to 10% of the total value of the work. It can be submitted in the form of the Bank Guarantee.
- 13. In case of slow progress & the Board put to any financial loss, the CBSE shall invoke the Bank Guarantee.
- 14. The agency shall submit all the guarantee cards/Brochures to the Engineer-In-Charge.
- 15. All materials brought to site shall be subjected to the approval of the Engineer-In-Charge. In case of any unapproved material is used, the same shall be removed by the agency at his own expense.
- 16. Non Comprehensive AMC shall for a period of 3 years shall have to be undertaken by the agency for which separate agreement shall be executed.
- 17. 10% of the basic value of bill shall be retained as defect liability for a period of six months effective from the date of completion. In case of satisfactory performance, the same shall be refunded without interest.
- 18. No running payment is permissible however; the final bill would be processed & cleared within 30 days from the date of its submission.
- 19. The equipments /products installed must be <u>guaranteed</u> for a period of one year from the date of completion.
- 20. The safety & security of the equipments/products after its installation shall rest with the Board.
- 21. The complaint if reported shall be got rectified by the agency within 24 hours failing which a penalty @ Rs. 200/- per day shall be levied.
- 22. In case of any dispute, the Chairman shall have the right to appoint an Arbitrator whose decision shall be final & binding on both the parties.

( Signature of the Agency)
With complete address and seal
Add