011-22044202



## CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organization under the Union Ministry of Human Resource Development, Govt. of India) "Shiksha Kendra", 2 Community Centre, Preet Vihar, New Delhi - 110092.

F-2000/MFW/Maint./2013/

Dt. 14/06/2013

.....

.....

•••••

.....

## Sub.: limited Tender for P&F of Modular Furniture Work at 3rd Floor

Sir,

The Board intends to provide Modular Furniture for 3<sup>rd</sup> Floor Administration unit from Manufacturers/authorized agencies of reputed brands in the field of Modular Furniture and having executed minimum 3 works of equivalent magnitude may apply on the prescribed format. An EMD of Rs.50000/- in the form of DD/BD payable to the Secretary, CBSE and experience documents be attached along with the tender. Sealed tenders complete in all respect must be submitted on or before 27.06.2013 upto 02:00 P.M. Quotations which are either late or incomplete shall be summarily rejected. The Secretary, CBSE reserves the right to reject any or all the tenders without assigning any reason thereof.

Yours faithfully

(S.P RANA) JOINT SECRATRY (A & L)

S.No	Description of Item	Qty.	Unit	Rate	Amount
1	Providing modular particle board table.				
	The top shall be made of 25 mm thick				
	plain particle board duly edge banded				
	and 0.5 mm thick backing laminate at the				
	bottom with flat edges duly sealed with 2				
	mm thick PVC edge lipping. The sides &				
	modesty panel made of 18 mm				
	prelaminated particle board duly edge				
	banded.				
	Table of Size 1500 x 750 x 750mm	5	No's		
	(wxdxh) with 3 drawer.	C			
	Table of Size $1200 \times 600 \times 750$ mm	1	No's		
	(wxdxh) without 3 drawer.		110.5		
2	Providing modular particle board side				
Z	unit. The top shall be made of 25 mm				
	thick plain particle board duly edge				
	banded and .5 mm thick backing laminate				
	at the bottom with flat edges duly sealed				
	with 2 mm thick PVC edge lipping. The				
	sides made of 18 mm prelaminated				
	particle board duly edge banded. size of side unit is:				
		1	Note		
2	900 x450 x 725mm (wxdxh) -6 No's	6	No's		
3	Providing & Fixing metallic key board				
	tray of minimum size 510 x 350 x 55 mm	50	Nee		
	made up of CRCA sheet, 1 mm thick,	58	Nos		
I	powder coated with minimum powder				
	coating of 45 microns in desired shade of				
	approved brand and manufacture fitted				
	below work top by means of ball bearing				
	with telescope slide of desired size				
	complete as per the direction of Engineer-				
	in-Charge.				
4	Providing & Fixing CPU trolley made of				
	size 220 x 250 x 250 mm having	50			
	adjustable width and lockable castors at	58	Nos		
	base made of 1.6mm thick sheet with				
	powder coating of 45 microns minimum				
	complete as per salient technical features				
	specifications, drawings and directions of				
	the engineer-in- charge				
5	Providing & Fixing Vertical modular				
	partition panel laminated /upholested of				
	72 mm thick & 1220 mm. ht , snap on				
	panel made of 12 mm prelaminated				
	particle board duly edgebanded with				

	raceway running at 2 levels one at			
	skirting & one above or below the			
	worktop.			
	1220 x 750 x 72mm (hxwxt)-4 No's	40	Sqft	
	1220 x 900 x 72mm (hxwxt)-4 No's	47	Sqft	
6	Providing & fixing worktop made of 25			
Ũ	mm thick pre laminated particle board			
	duly edge banded & 0.5 mm thick backing			
	laminate at the bottom with flat edges			
	duly sealed with 2 mm thick PVC edge			
	lipping. Workstation of size.			
	1200 x 600 x 25mm (wxdxt) -52 No's	404	Sqft	
7	Providing & Fixing Vertical modular			
	partition panellaminated /upholested of			
	72 mm thick & 1220 mm. ht , snap on			
	panel made of 12 mm prelaminated			
	particle board duly edgebanded with			
	raceway running at 2 levels one at			
	skirting & one above or below the			
	worktop.	400	0.0	
	1220 x 600 x 72 mm- 24 No's	190	Sqft	
	1220 x 1200 x 72 mm (hxwxt)- 26No's	410	Sqft	
8	Providing & Fixing 3Drawer Unit (The			
	Drawer Unit will be of dimension 720	52	Nos.	
	(H)x390(W)x585(D)mm (Adjustable).			
	The Drawer unit shall consist of 2drawers			
	with locking arrangements and one filing.			
	Drawer unit made of complete 18 mm			
	prelaminated particle duly edgebanded			
	, , , , , , , , , , , , , , , , , , , ,			
	with necessary hardware fittings.			
9	Providing & fixing 10 mm Glass fins of	28	No's	
	size 600x 450mm having round edge			
10	Providing & fixing 25 mm PLB fins.	12	No's	
11	Providing and fixing high back chairs			
	made of 1" ERW pipe of 16 gauge seat and			
	back is made of 12 mm hot press single			
	ply and provided with 40/50 & 23		Rates	
	density 12 mm pure foam (Feather foam		Only	
			Only	
	make) and convered with premium			
	quality of leather / fabric. The chair with			
	duo colour fabric combinations as per			
	Engineer In Charge . The chair shall be			
	provided with 120 mm BIFMA passed gas			
	lift and conventional tilt mechanism with			
	one lever control for lock and seat height			
	adjustment. Plate thickness shall 2.5 mm			
	and angle is $3 \sim 18$ (BIFM passed) with			
L	Land angle is a to (Birth passed) with			

r			
	poly urethane one pipe handle and nylon base having 1359 kg weight capacity as		
	per BIFM standard. High back revolving		
	chair sample to be approved by Engineer		
	In Charge.		
12	Supply of low back chairs made of 1" ERW pipe of 16 guage seat & back is made of mould poly urethane having 55 density and 12 mm hot press ply with bottom ABS covered. The chair with duo color fabric combinations as per EIC / Architect. The chair shall be provided with conventional tilt mechanism with one lever control for lock and seat height adjustment. Plate thickness shall 2.5 mm and angle is 3~18 (BIFM passed) PP single piece handle and nylon base having 1350 kg weight capacity as per BIFM standard. Low back revolving chair sample to be approved by Engineer in	Rates Only	
	Charge.		
13	Supply of low back chairs made of 1" ERW pipe of 16 guage 06 each seat & back is made of mould polyurethane having 55 density and 12 mm hot press ply with bottom ABS covered. The chair to be provided with duo color fabric combinations as per EIC / Architect and poly urethean crome one pipe handle	Rates Only	
14	Supply of low back chairs made of 1" ERW pipe of 16 guage seat & back is made of mould poly urethane having 55 density and 12 mm hot press ply with bottom ABS covered. The chair to be provided with duo color fabric combinations as per Engineer In Charge.	Rates Only	

## Terms & Conditions

1. The work shall be executed as per the approved drawings & the specifications.

2. The approved brands are Godrej, Delite Hi Tech, Duaco, and Howarth. The authorized agency/manufacturer may apply.

3. Time is the essence of the contract, hence the work is to be completed Within 30 days after the issue of the work order.

4. The colour pattern shall be got approved through the Engineer In charge.

5. The joinery of the partitions & the work-stations has to be perfect Inline, plumb & frames grouted wherever feasible.

6. In case of any damage to the wall/ floor in the bldg., the agency shall have to make good the same.

7. In case of delayed execution of work, penalty @ 1% per week shall be levied.

8. No running/ advance payment shall be made to the agency. Final payment shall be released within 30 days of the submission of the bill.

9. Security equivalent to 10 % of the value of work shall be retained for a period of six months & released provided there is no deficiency noticed during the defect liability period.

10. No T & P shall be issued by the Board.

11. The agency must employ its bonafide, honest & well behaved workers. In case of any incident of theft, burglary, mischievous deeds, damage/ loss to the Board's property by the workers of the agency, it shall be solely responsible & the loss shall be borne by it.
12. In case any dispute, Chairman CBSE shall be the sole Arbitrator & his decision shall be binding on both the parties.

Accepted by me Sign. of Prop./Manager Seal of firm Add. \_\_\_\_\_ Tel./Mob.No.