

Gram : CENBOSEC, Delhi – 92
E-Mail: cbseedi@nda.vsnl.net.in
website: www.cbse.nic.in



Phone: 22509256-59
Fax: 22515826

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Union Ministry of Human Resource Development Govt. of India)

“SHIKSHA KENDRA”, 2, COMMUNITY CENTRE, PREET VIHAR, DELHI – 110092

F-240/Maint./2012

Dt. 07.09.2012

.....

.....

.....

Sub.: Limited Tender for providing Storage in Basement of R.O. Building P.P.Ganj, Delhi-110092

Sir,

The Board intends to provide storage space for Book Store in the Basement for which quotations are invited from reputed civil work contractors having executed minimum 3 works of equivalent magnitude. The rate needs to be filled up in the prescribed format. An EMD of Rs.4000/- in the form of DD/BD payable to the Secretary, CBSE is to be annexed with the tender. Experience documents also be attached alongwith the tender. Sealed tenders complete in all respect must be submitted on or before 20.09.2012 upto 02:00 P.M. Quotations which are either late or incomplete shall be summarily rejected. The Secretary, CBSE reserves the right to reject any or all the quotations without assigning any reason thereof.

Yours faithfully

(S.K.Sharma)

Executive Engineer(Estate)

Proposed Storage for Publication Store in Basement of R.O. Building

SCHEDULE OF WORK

| S.NO | Description of work | Qty. | Unit | Rate | Amount |
|------|--|------|----------|------|--------|
| 1 | Brickwork with FPS bricks of class designation 75 in foundation and plinth in cement Mortar 1:6 (1 Cement : 6 Coarse sand) | 3.00 | Cub Mtr. | | |
| 2 | P&F 1.0mm thick M.S.W Sheet with frame of 40x40x6 mm angle iron and 3mm gusset plates at the junction and corners complete including applying a priming coat of approved steel primer using M.S flat 30x6 mm for diagonal braces and central cross pieces. | 70 | Sqm | | |
| 3 | 12mm Cement plaster of mix 1:4 (1 Cement : 4 admixer of fine & coarse sand) | 45 | Sqm | | |
| 4 | P&F in position M.S double leaf shutter steel with angle iron frame 35x35x4mm and braced with M.S Flat diagonal 30x6 mm in M.S door frame of 40x40x6mm size 1500x2100 mm complete with accessories hold fast, hinges, M.S oxidized tower bolt 250 mm & sliding bolt 300 mm, handles etc. as per the directions of the Engineer-In-Charge. The entire M.S items shall be duly coated with approved steel primer. (approved brands: Nerolec, Burger, Deco) | 4.0 | Sqm | | |
| 5 | Painting with synthetic enamel paint of approved brand and manufacture of required colours to give an even shade two or more coat on new work. (approved brands: Nerolec, Burger, Deco) | 150 | Sqm | | |

Accepted by me

Seal of the Company

Signature

Tel No..

TERMS & CONDITIONS

1. Work shall be carried out as per CPWD specifications and as per directions of Engineer-In-Charge.
2. Work should be complete within 30 days. In case of delay, penalty @ 1% per week subject to a maximum ceiling upto 5% would be imposed.
3. Payment will be made only after completion of work.
4. 5% of the value work done would be retained as defect liability for a period of six months.
5. Quantity indicated are tentative & may decrease or increase to any extent.
6. The agency shall get the materials approved by the Engineer-In-Charge before utilization.

The terms & conditions are acceptable to me/us

Signature

Name:

Address with seal of the Agency:

Tel No.

MobileNo.

PAN No.