

E-Mail: cbseedi@nda.vsnl.net.in
website: www.cbse.nic.in



Fax: 22515826
Phone No. 22515830


CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Union Ministry of Human Resource Development Govt. of India)

"SHIKSHA KENDRA", 2, COMMUNITY CENTRE, PREET VIHAR, DELHI – 110092

F-2006/NICPD/PC/2013

03.10.2013



Sub: P&F of Partitions/Cabins at NICPD, 76 G, Sec-18, Gurgaon

Sir,

The CBSE intends to invite Limited Tender for selection of suitable agency for providing & fixing of partitions/cabins at NICPD, 76 G, Sec 18, Gurgaon (Haryana). The work is to be executed on urgent basis. Experienced agencies intending to work may apply on the enclosed formats & attach an EMD of Rs. 15,000/- in the form of DD/BD payable in f/o the Secretary, CBSE, Delhi. The last date to submit the tender is 11.10.2013 upto 2.00 p.m. Tenders complete in all respect be dropped in the tender -box placed at Reception Counter, CBSE HQ, Bldg. 2 CC, Preet Vihar, Delhi-110092. Incomplete, conditional & belated tenders shall be summarily rejected.

Yours faithfully

(S.P.Rana)
Joint Secretary (A&L)

Schedule of rates

Name of work: Providing & Fixing of Partitions/cabins at NICPD, Gurgaon

s.no.	Description	unit	qty.	rate	amount
1.	<p>Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).</p> <p>Sal wood Note: The wooden framework shall be provided with primer & also fire retardent paint.</p>	cum	2.0 cum		
2.	<p>Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm²), counter sunk head, comprising of 10 m dia polyamide PA 6 grade sleeve, including drilling of hole in frame concrete/ masonry, etc. as per direction of Engineer-in-charge.</p> <p>10 x 80 mm</p> <p>10 x 160 mm</p>	each	20		
		each	20		
3.	<p>Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters :</p> <p>35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws</p>	sqm	12		
4.	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	sqm	15		
5.	<p>Providing and fixing expandable fasteners of specified size with necessary plastic sleeves and galvanised M.S. screws including drilling holes in masonry work /CC/ R.C.C. and making good etc. complete.</p> <p>50 mm long</p>	each	80		
6.	providing and fixing 6 mm commercial plywood conforming to IS: 303 BWR Grade on the existing wooden framework with nails. The unexposed surface to be provided priming coat.	sqm	270 sqm		
7.	P&F of 12 x 12 mm moulding with kiln seasoned & chemically treated hollock wood	mtr.	50		
8.	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss /				

	matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.0 mm thick	mtr	270 sq. mtr.		
9.	P&F of wooden moulded beading to door & window frames with iron screens, plugs, etc. 50x12 mm 35x12mm 25x12mm 18x5mm	mtr mtr mtr mtr	7 mtr. 42 mtr. 50 mtr. 50 mtr.		
10.	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete	each	6 nos.		
11.	P&F bright finished brass 100 mm mortice latch & lock with six levers & a pair of brass lacquered handles of approved quality with necessary screws etc. complete.	each	6 nos.		
12.	P&F brass tower bolt (barrel type) 250x10mm 200x10mm	each each	12 nos. 12 nos.		
13.	P&F 12 mm thick frameless toughened glass partition with door of approved brand & manufacture i/c providing & fixing top & bottom pivot & spring type fixing arrangement & making necessary holes etc. for fixing required door fittings, all complete as per directions of the Engineer Incharge (door handle, lock & stopper etc. to be paid separately)	sqm	25.0 mtr.		
14.	P&F of glass/transparent PVC moulded round shaped 150 mm dia nominal size	each	2 nos.		
15.	P&F of stainless steel lock 2 levers as per approved sample	each	1 no.		
16.	P&F of stainless steel door stopper as per approved sample.	each	1 no.		

Accepted by me :
Signature
Name :
Mob No.

Terms & conditions

1. The work is to be executed as per the CPWD specifications & best Engg. Practice i/c the directions of the Engineer-Incharge.
2. The work is to be completed in a time-bound framework within 20 days from the date of the work order.
3. The rates shall be valid for a period of 60 days from the date of tender.
4. Specified material shall only be used with prior approval of the sample by the Engineer-incharge.
5. In no case, unspecified material is to be brought at site.
6. The laminates shall be of Merino/Greelam.
7. The wooden framework shall be fabricated within properly seasoned wood.
8. The commercial plywood shall be of kitply/national/duro.
9. The door closer shall be of amar/godrej/everity.
10. The flush door shutters shall be diamond/swati/Bhutan.
11. The mortise lock shall be of godrej/Harrison/link.
12. Toughened glass of modi/asahi/saint gobin.
13. No running payment shall be made.
14. In case of delay, a penalty @ 1% shall be levied.
15. In case of slow progress/stoppage of work without valid reasons, the Board shall have the right to rescind the work & get the same executed at the risk & cost of the defaulting agency.

(Signature of the tenderer)

With complete address and seal

Tel no.....

Mobile no.....

Date.....