Central Board of Secondary Education "SHIKSHA KENDRA", 2 COMMUNITY CENTRE, PREET VIHAR, DELHI-110092

TENDER NOTICE

Sealed tenders under Two-Bid system are invited from reputed agencies registered with govt./semi govt./autonomous organizations/PSU's having 5 years experience for Partition & Ceiling works. Agencies having executed a minimum of 3 works of value 5.0 lacs each or two works of value Rs. 10.0 lacs or more may apply. Cost of tender documents Rs. 1,000/- & EMD amounting to Rs. 50,000/-payable through DD/BD in f/o the Secretary, CBSE & experience documents must be annexed along with Technical-bid. Sealed envelopes of Technical-bid & Price-bid be kept in another envelope super scribed "Partition & False Ceiling works at H-149, Sector-63, Noida". Tender documents are downloaded from Board's Website: www.cbse.nic.in. Tender complete in all respect must be submitted latest by 15.01.2014 upto 2.30 p.m. and dropped in the tender-box placed at Reception Counter, HQ, Bldg. Preet Vihar, Delhi-110092.

Joint Secretary (A & L)

CENTRAL BOARD OF SECONDARY EDUCATION, 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-92

PART-A Technical-Bid

Last Date for submission: 15.01.2014 Upto 2.30 p.m. Opening of tender: 15.01.2014 on 3.00 p.m.

Name of work	:	Partition and False Ceiling work

Location : H-149, Sector- 63, Noida

1. Credentials of tenderer

1.1 Name of the Agency:	
1.2 Office Address and	
Tel.Nos.	
1.3 Licence No. & Registration	
details(with documentary	
evidence)	
(With documentary evidence)	
1.4 PAN No.	
(with documentary evidence)	
2. Annual turnover for last three years	
supported with documentary evidence)	
3. Experience (last three years)	
3.1 Contract details fulfilling eligibility cr	iteria

S.No.	Year	Name of the	Cost of the work	Officer Concd. in the	Period From To
		Organization	(Executed)	Organization with T.No.	
01.					
02.					
03.					

3.2. Present assignment in hand complying tender parameters (Supported with documentary evidence)

(i)

(ii)

(iii)

3.5 Earnest Money Deposit (EMD)

- 1. The Govt. Departments, Public Sector Units, Small Scale Industrial (SSI) Units (only permanently registered) & agencies registered with NSIC etc., are exempted from submitting EMD.
- 2. SSI Units and agencies requesting for exemption from submission of EMD shall submit a copy of their Registration Certificate.

Only such SSI Units and agencies registered for the same trade/Item for which the tender is relevant shall be exempted from submission of EMD.

3. EMDs of unsuccessful tenders shall be refunded after reasonable time without interest.

4. The tenders without EMD or partial EMD shall be summarily rejected.

4. Particulars of D.D. as Earnest money:	
Amount Rs. : 50,000/-	
D.D/B.D Nos. :	
Issuing Bank with	
Date of Issue :	_
	_
4.1 Particulars of D.D. as cost of tender:	
Amount Rs. : 1,000/-	
D.D/B.D Nos. :	
Issuing Bank with	
Date of Issue :	_
5. The Financial-Bid of the Agencies selected throug	– jh Technical-Bid shall only be opened.
Declaration: All terms and conditions as mentioned	I in the tender are acceptable to me/us.
	(Signature of the Tenderer)
	With complete address and seal
Tel. No.:	
Mobile No.:	
Place:	
Date :	

Price Bid

Name of work: Partition and False Ceiling work

SI.	Description of Work	Qty.	Unit	Rate	Amount
No.					
1.	Providing and fixing tiled false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on interlocking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600mm center to center to form grids of 600x600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
	8 mm thick fully perforated alcium silicate board made with Icareous & Siliceous materials reinforced with cellulose fiber manufactured through autoclaving process to give stable crystalline structure with minimum compressive strength 225 kg/ sq. cm, bending strength 100 kg/sq. cm, of size 595x595 mm, having perforation of dia. 10 mm with minimum perforated area 18 % with non woven tissue on the back side, having an NRC (Noise Reduction Coefficient) of 0.85, with 50 mm thick rockwool of 48 kg /cum backing.	950	sqm		

		1	[[
2	Brouiding and fiving partition upto soiling beight				
2.	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board,				
	including providing and fixing of frame work made of				
	special section power pressed/ roll form G.I. sheet				
	with zinc coating of 120 gms/sqm(both side inclusive), consisting of floor and ceiling channel				
	50mm wide having equal flanges of 32 mm and				
	0.50 mm thick, fixed to the floor and ceiling at the				
	spacing of 610 mm centre to centre with dash				
	fastener of 12.5 mm dia meter 50 mm length or				
	suitable anchor fastener or metal screws with nylon				
	plugs and the studs 48 mm wide having one flange				
	of 34 mm and other flange 36 mm and 0.50 mm				
	thick fixed vertically within flanges of floor and				
	ceiling channel and placed at a spacing of 610 mm				
	centre to centre by 6 mm dia bolts and nuts,				
	including fixing of studs along both ends of partition				
	fixed flush to wall with suitable anchor fastener or				
	metal screws with nylon plugs at spacing of 450 mm				
	centre to centre, and fixing of boards to both side of				
	frame work by 25 mm long dry wall screws on				
	studs, floor and ceiling channels at the spacing of				
	300 mm centre to centre. The boards are to be fixed				
	to the frame work with joints staggered to avoid				
	through cracks, M.S. fixing channel of 99 mm width				
	(0.9 mm thick having two flanges of 9.5 mm each)				
	to be provided at the horizontal joints of two boards,				
	fixed to the studs using metal to metal flat head				
	screws, including jointing and finishing to a flush				
	finish with recommended jointing compound,				
	jointing tape, angle beads at corners (25 mm x 25				
	mm x 0.5 mm), joint finisher and two coats of primer				
	suitable for board as per manufacture's specification				
	and direction of engineer in charge all complete.	510	sqm		
	66mm overall thickness partition using 8mm thick	510	9411		
	double skin non- asbestos multipurpose cement				
	board reinforced with cellulose fibre manufactured				
	through autoclaving process (High pressure steam				
	cured) as per IS: 14862 with suitable fibre cement				
L	screws				
3.					
	Providing and fixing ISI marked flush door shutters	25	sqm		
	conforming to IS :2202 (Part I) decorative type, core				
	of block board construction with frame of 1st class				
	hard wood and well matched teak 3 ply veneering				
	with vertical grains or cross bands and face veneers				
	on both faces of shutters.				
	35 mm thick including ISI marked Stainless Steel				
	butt hinges with necessary screws				

-				
4.	Distempering with 1st quality acrylic distemper (ready mixed) of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. Two or more coats on new work	1080	sqm	
5.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868)transparent or dyedto required colour or shade, with necessary screws etc. complete : size-125 mm	50	Nos	
6.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodiccoating not less than grade AC 10 as per IS1868) transparent or dyedto required colour or shade, with necessary screws etc. complete : size - 250x10 mm	25	Nos	
7	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868)transparent or dyed to required colour and shade, with necessary screwsetc. complete. Twin rubber stopper	25	Nos	
8	Providing and fixing aluminium extruded section body tubular typeuniversal hydraulic door closer (having brand logo with ISI, IS : 3564,embossed on the body, door weight upto 36 kg to 80 kg and door widthfrom 701 mm to 1000 mm), with double speed adjustment with necessaryaccessories and screws etc. complete.	25	Nos	
10	Providing and fixing glazing in door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness	140	Sqm	

CENTRAL BOARD OF SECONDARY EDUCATION SHIKSHA KENDRA, 2, COMMUNITY CENTRE <u>PREET VIHAR, DELHI-1100092</u>

INSTRUCTIONS TO THE TENDERERS

- 1. Incomplete and conditional tenders shall be summarily rejected.
- 2. Rates are to be quoted in words and figures without any cutting/overwriting
- 3. The agency should quote the rates after visiting the site and proper assessment of work.
- 4. Prescribed enclosures are to be attached with the Technical Bid.
- 5. Technical Bids and Price-Bid should be signed by the same authorized signatory.
- 6. The Technical-Bids shall be opened on 15.01.2014 at 2.30 p.m. in the presence of the tenderers, who may like to be present.
- 7. Any additional information required by CBSE in respect of the work experience shall be submitted by the tenderers within three days, failing which the offer shall not be entertained.
- 8. Technical Bid received without EMD of Rs.50,000/- in the form of a Demand draft / Banker's Cheque shall be summarily rejected.

Terms and Conditions

- 1. The work should be executed as per CPWD specifications and as per directions of Engineer-In-Charge.
- 2. The Completion time would be 40 days.
- 3. In case of delay, a penalty of 1% per week should be deducted. Subjected to a max of 5% of the tender value.
- 4. The measurement shall be done jointly by the Contractor and JE (Civil).
- 5. All T & P shall be arranged by the Contractor.
- 6. Hindrance Register shall be maintained by JE at site.
- 7. Instructions given in Site Order Book would be followed immediately.
- 8. Only one running payment would be considered after 40% completion of work and subsequently thereafter final bill would be paid within 30 days after submission of Bill by the Contractor.
- 9. 10% of the bill shall be deducted as defect liability and shall be released after one year.
- 10. 25% deviation in quantities would be permitted.
- 11. Extra-item if any would be paid on analyzed Market rates but the work must be executed with prior approval of Engineer-in-charge.
- 12. In case of any dispute, the Arbitrator shall be appointed by the Chairman and his decision shall be binding.
- 13. The materials to be used must be got approved from the Engineerin-charge before installation/use.
- 14. Potable water shall only be used at site / work and arranged own self by the contractor. Nothing extra shall be paid on this account.
- 15. Agreement shall be executed by the agency at its own cost.
- 16. The agency shall not delay/stop the work without any valid reason.
- 17. In case of no/slow progress, the Board shall have the right to rescind the contract & get the work executed at the risk & cost of the defaulting agency.
- 18. Any material to be used on site shall be got checked & approved through the Engineer-In-Charge.

(Signature of the Agency)

With complete address and seal

Add._____

Tel. No.:_____

Mobile No.:_____